

Datasheet for ABIN7565267 SLC7A5 Protein (AA 1-512) (His tag)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	SLC7A5
Protein Characteristics:	AA 1-512
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC7A5 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant Slc7a5 Protein expressed in mammalian cells.
Sequence:	MAVAGAKRRA VATPAAAAAE EERQAREKML EARRGDGADP EGEGVTLQRN ITLLNGVAII
	VGTIIGSGIF VTPTGVLKEA GSPGLSLVVW AVCGVFSIVG ALCYAELGTT ISKSGGDYAY
	MLEVYGSLPA FLKLWIELLI IRPSSQYIVA LVFATYLLKP VFPTCPVPEE AAKLVACLCV
	LLLTAVNCYS VKAATRVQDA FAAAKLLALA LIILLGFIQM GKDMGQGDAS NLQQKLSFEG
	TNLDVGNIVL ALYSGLFAYG GWNYLNFVTE EMINPYRNLP LAIIISLPIV TLVYVLTNLA
	YFTTLSTNQM LTSEAVAVDF GNYHLGVMSW IIPVFVGLSC FGSVNGSLFT SSRLFFVGSR
	EGHLPSVLSM IHPQLLTPVP SLVFTCIMTL MYAFSRDIFS IINFFSFFNW LCVALAIIGM
	MWLRFKKPEL ERPIKVNLAL PVFFILACLF LIAVSFWKTP MECGIGFAII LSGLPVYFFG
	VWWKNKPKWI LQAIFSVTVL CQKLMQVVPQ ET Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.

Product Details

Product Details	
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	SLC7A5
Alternative Name:	Slc7a5 (SLC7A5 Products)
Background:	Large neutral amino acids transporter small subunit 1 (4F2 light chain) (4F2 LC) (4F2LC) (L-type amino acid transporter 1) (LAT1) (Solute carrier family 7 member 5),FUNCTION: The heterodimer with SLC3A2 functions as a sodium-independent, high-affinity transporter that mediates uptake of large neutral amino acids such as phenylalanine, tyrosine, histidine, met hionine, tryptophan, valine, isoleucine and alanine (By similarity). The heterodimer with SLC3A2 mediates the uptake of L-DOPA and leucine (PubMed:9915839, PubMed:11011012). Functions

as an amino acid exchanger (By similarity). May play a role in the transport of L-DOPA across

the blood-brain barrier (PubMed:11011012). May act as the major transporter of tyrosine in fibroblasts (By similarity). May mediate blood-to-retina L-leucine transport across the inner

diiodothyronine (T2), triiodothyronine (T3) and thyroxine (T4) across the cell membrane. When

blood-retinal barrier (By similarity). Can mediate the transport of thyroid hormones

Target Details

associated with LAPTM4B, the heterodimer formed by SLC3A2 and SLC7A5 is recruited to lysosomes to promote leucine uptake into these organelles, and thereby mediates mTORC1 activation. Involved in the uptake of toxic methylmercury (MeHg) when administered as the L-cysteine or D,L-homocysteine complexes. Involved in the cellular activity of small molecular weight nitrosothiols, via the stereoselective transport of L-nitrosocysteine (L-CNSO) across the membrane (By similarity). {ECO:0000250|UniProtKB:Q01650, ECO:0000250|UniProtKB:Q63016, ECO:0000269|PubMed:11011012, ECO:0000269|PubMed:9915839}.

Molecular Weight:

55.9 kDa

UniProt:

Q9Z127

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

12 months

Handling

Expiry Date:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.