

Datasheet for ABIN7565270 **PAD4 Protein (AA 1-666) (His tag)**



Overview

Quantity:	1 mg
Target:	PAD4 (PADI4)
Protein Characteristics:	AA 1-666
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PAD4 protein is labelled with His tag.

Product Details

FIOUUCI Details	
Purpose:	Custom-made recombinant Padi4 Protein expressed in mammalian cells.
Sequence:	MAQGAVIHVA PEQPTHAVCV VGTATPLDVR GSAPKGYTTF GITASPGVIV DVIHGPPVKK
	STMGASKWPL DPELEVTLQV KAASSRTDDE KVRVSYYGPK TSPVQALIYI TGVELSLSAD
	VTRTGRVKPA QAGKDQSTWT WGPGGRGAIL LVNCDKEDPQ ASGMDFEDDK ILDNKDLQDM
	SPMTLSTKTP KDFFEKYQLV LEVPKAKMNR VRVFRATRGK LPSRYKVALG PQQFSYCLEL
	PGGQHSTDFY VEGLAFPDAD FKGLIPLTIS LLDKSNPELP EALVFQDSVT FRVAPWIMTP
	NTQPPQEVYV CRVSDNEDFL KSLATLTKKA KCKLTVCPEE ENIDDQWMQD EMEIGYIQAP
	HKTLPVVFDS PRDRGLKDFP VKRVMGPNFG YVTRKLYMSE LTGLDAFGNL EVSPPVTVRG
	KEYPLGRILI GNSGYSSSES RDMHQALQDF LSAQQVQAPV RLFSDWLFVG HVDEFLSFVP
	ARDKQGFRLL LSSPRACYQL FQELQSQGHG EATLFEGLKR KRQTINEILS NKKLRDQNAY
	VESCIDWNRA VLKRELGLAE GDIIDIPQLF KLAGNSRGNS KAQAFFPNMV NMLVLGKYLG
	IPKPFGPIID GHCCLEEEVR SHLEPLGLHC TFINDFYTYH VYNGEVHCGT NVRRKPFTFK
	WWHMVP Sequence without tag. The proposed Purification-Tag is based on experiences

	with the expression system, a different complexity of the protein could make another tag
	necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography
	 The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	PAD4 (PADI4)
Alternative Name:	Padi4 (PADI4 Products)
Background:	Protein-arginine deiminase type-4 (EC 3.5.3.15) (Peptidylarginine deiminase IV) (Protein-
	arginine deiminase type IV),FUNCTION: Catalyzes the citrullination/deimination of arginine
	residues of proteins such as histones, thereby playing a key role in histone code and regulation
	of stem cell maintenance (PubMed:15339660, PubMed:32528174). Citrullinates histone H1 at
	'Arg-54' (to form H1R54ci), histone H3 at 'Arg-2', 'Arg-8', 'Arg-17' and/or 'Arg-26' (to form H3R2c
	H3R8ci, H3R17ci, H3R26ci, respectively) and histone H4 at 'Arg-3' (to form H4R3ci)
	(PubMed:15339660). Acts as a key regulator of stem cell maintenance by mediating
	citrullination of histone H1: citrullination of 'Arg-54' of histone H1 (H1R54ci) results in H1

displacement from chromatin and global chromatin decondensation, thereby promoting

pluripotency and stem cell maintenance (PubMed:24463520, PubMed:32528174). Promotes profound chromatin decondensation during the innate immune response to infection in neutrophils by mediating formation of H1R54ci (PubMed:20733033, PubMed:23650392). Required for the formation of neutrophil extracellular traps (NETs), NETs are mainly composed of DNA fibers and are released by neutrophils to bind pathogens during inflammation (PubMed:20733033, PubMed:32528174). Citrullination of histone H3 prevents their methylation by CARM1 and HRMT1L2/PRMT1 and represses transcription (By similarity). Citrullinates EP300/P300 at 'Arg-2142', which favors its interaction with NCOA2/GRIP1 (By similarity). (ECO:0000250|UniProtKB:Q9UM07, ECO:0000269|PubMed:15339660, ECO:0000269|PubMed:20733033, ECO:0000269|PubMed:23650392, ECO:0000269|PubMed:24463520, ECO:0000269|PubMed:32528174}.

Molecular Weight:

74.4 kDa

UniProt:

Q9Z183

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months