

Datasheet for ABIN7565568
NAT10 Protein (AA 1-1025) (GST tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	2 µg
Target:	NAT10
Protein Characteristics:	AA 1-1025
Origin:	Human
Source:	Wheat germ
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAT10 protein is labelled with GST tag.
Application:	Western Blotting (WB), ELISA, Affinity Purification (AP), Antibody Array (AA)

Product Details

Purpose:	FLJ10774 (Human) Recombinant Protein (P01)
Sequence:	MHRKKVDNRI RILIENGVAE RQRSLFVVVG DRGKDQVVIL HHMLSKATVK ARPSVLWCYK KELGFSSHRK KRMRLQKKI KNGTLNIKQD DPFELFIAAT NIRYCYNET HKILGNTFGM CVLQDFEALT PNLLARTVET VEGGGLVVIL LRTMNSLKQL YVTMDVHSR YRTEAHQDVV GRFNERFILS LASCKKCLVI DDQLNILPIS SHVATMEALP PQTPDESLGP SDLELRELKE SLQDTQPVGV LVDCKTLDQ AKAVLKFIEG ISEKTLRSTV ALTAARGRGK SAALGLAIAG AVAFGYSNIF VTSPSPDNLH TLFEFVFKGF DALQYQEHLD YEIIQSLNPE FNKAVIRVNV FREHRQTIQY IHPADAVKLG QAELVVIDEA AAIPPLVKS LLGPYLVFMA STINGYEGTG RSLSLKLIQQ LRQSAQSQV STTAENKTTT TARLASARTL HEVSLQESIR YAPGDAVEKW LNDLLCLDCL NITRIVSGCP LPEACELYV NRDTLFCYHK ASEVFLQRLM ALYVASHYKN SPNDLQMLSD APAHHLFCLL PPVPPTQNAL PEVLAVIQVC LEGEISRQSI LNSLSRGKKA SGDLIPWTVS EQFQDPDFGG LSGGRVVRIA VHPDYQGMGY GSRALQLQM YYEGRFPCLE

Product Details

EKVLETPQEI HTVSSEAVSL LEEVITPRKD LPPLLLKLNE RPAERLDYLG VSYGLTPRLL
KFWKRAGFVP VYLRQTPNDL TGEHSCIMLK TLTDEDEADQ GGWLAAFWKD FRRRFLALLS
YQFSTFSPSL ALNIIQNRNM GKPAQPALS EEEALFLPY DLKRLEMYSR NMVDYHLIMD
MIPAISRIYF LNQLGDLALS AAQSALLLGI GLQHKSV DQL EKEIELPSGQ LMGLFNRIIR
KVVKLFNEVQ EKAIEEQMVA AKDVVMEPTM KTLSDDLDEA AKEFQEKHKK EVGKLKSMDL
SEYIIRGDDE EWNEVLNKAG PNASIISLKS DKKRKLEAKQ EPKQSKKLKN RETKNKKDMK LKRKK

Characteristics:	Human FLJ10774 full-length ORF (AAH35558, 1 a.a. - 1025 a.a.) recombinant protein with GST-tag at N-terminal.
Purification:	in vitro wheat germ expression system

Target Details

Target:	NAT10
Alternative Name:	NAT10 (NAT10 Products)
Background:	Full Gene Name: N-acetyltransferase 10 (GCN5-related) Synonyms: ALP,DKFZp434C116,FLJ10774,FLJ12179,FLJ23850,KIAA1709,hALP
Gene ID:	55226

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Preparation method: in vitro, wheat germ expression system Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.
Restrictions:	For Research Use only

Handling

Buffer:	50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-80 °C
Storage Comment:	Best use within three months from the date of receipt of this protein.



Image 1.