

Datasheet for ABIN7565892 **anti-RFP antibody**



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	RFP
Reactivity:	Discosoma
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RFP antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Fluorescence Microscopy (FM)

Product Details

Purpose:	Anti-mCherry Antibody Pre-Adsorbed
Immunogen:	Optional[Immunogen]: The immunogen is a mCherry mutant variant fusion protein of RFP corresponding to the full length amino acid sequence (234aa) derived from the mushroom polyp coral Discosoma.
Cross-Reactivity (Details):	Minimal crossreactivity against Hu Ms & Rt Serum Proteins Expect reactivity against mCherry, RFP and its variants: tdTomato, mBanana, mOrange, mPlum, mOrange and mStrawberry.
Characteristics:	Synonyms: rabbit anti-mCherry antibody, RFP, mCherry monomeric red fluorescent protein, Red Fluorescent Protein (RFP), rDsRed, Discosoma sp. Red Fluorescent Protein, mRFP1, mBanana, mHoneydew, mPlum, mOrange, mStrawberry, mTangerine
Purification:	mCherry was prepared from monospecific antiserum by immunoaffinity chromatography using Red Fluorescent Protein (Discosoma) coupled to agarose beads followed by solid phase

Product Details

adsorption(s) to remove any unwanted reactivities.

Preadsorption: Pre-Adsorbed

Sterility: Sterile filtered

Target Details

Target: RFP

Alternative Name: DsRed ([RFP Products](#))

Background: mCherry Antibody is ideal for Western Blotting. Fluorescent proteins such as Discosoma Red Fluorescent Protein (and its variants), and GFP are widely used in research practice. Both commonly serve as a markers for gene expression and protein localization. DsRed was isolated from sea anemone Discosoma sp. mushroom and GFP is originated from Aequorea victoria jellyfish. As DsRed and GFP share only 19 % identity, therefore, in general, anti-GFP antibodies do not recognize DsRed protein and vice versa. Structurally, Discosoma red fluorescent protein is similar to Aequorea green fluorescent protein in terms of its overall fold (a β -can) and chromophore-formation chemistry. However, Discosoma red fluorescent protein undergoes an additional steps in the chromophore maturation and obligates tetrameric structure. All mCherry antibodies have been pre-absorbed to eliminate any potential cross-reactivity to human, mouse and rat serum proteins. The antibodies are also confirmed for non-reactivity to GFP protein.

Application Details

Application Notes: Application Note: Polyclonal anti-mCherry is designed to detect mCherry, RFP, and its variants. Anti-mCherry (Discosoma sp.) has been tested by ELISA and Western blot and is intended for use in immunological assays including ELISA, western blotting, immunofluorescence, and fluorescence activated cell sorting (FACS). Researchers should determine optimal titers for applications that are not stated. In addition, we performed conjugation of RFP antibodies to either fluorescent dyes, biotin or horseradish peroxidase to further facilitate RFP protein detection and quantification. Immunohistochemistry Dilution: 1:200 - 1:2,000 Western Blot Dilution: 1:2,000 - 1:10,000 ELISA Dilution: 1:150,000 - 1:250,000 IF Microscopy Dilution: 1:200 - 1:2,000

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	Optional[Buffer]: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Preservative: 0.01 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store mCherry Antibody at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiry Date:	12 months