

Datasheet for ABIN7566022 ANGPTL3 Protein (AA 224-460, Fibrinogen-like Domain) (DYKDDDDK Tag)



Overview

Quantity:	10 µg
Target:	ANGPTL3
Protein Characteristics:	AA 224-460, Fibrinogen-like Domain
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ANGPTL3 protein is labelled with DYKDDDDK Tag.
Product Details	
Purpose:	ANGPTL3 (fibrinogen-like domain) (human) (rec.)
Cross-Reactivity:	Human
Characteristics:	Fibrinogen-like domain of human ANGPTL3 (aa 224-460) is fused at the N-terminus to a DYKDDDDK Tag.
Purity:	>95 % (SDS-PAGE)
Endotoxin Level:	<0.01EU/µg purified protein (LAL test).
Target Details	

Target:	ANGPTL3
Alternative Name:	ANGPTL3 (ANGPTL3 Products)
Background:	Angiopoietin-like Protein 3, Angiopoietin-5, ANG-5

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7566022 | 04/22/2025 | Copyright antibodies-online. All rights reserved.

Target Details

	ANGPTL3 (Angiopoietin-like protein 3) regulates angiogenesis and also directly regulates lipid,
	glucose and energy metabolism. Angiopoietin-like 3 (ANGPTL3) is a regulator of plasma
	triglyceride (TRG) levels due to its inhibitory action on the activity of lipoprotein lipase (LPL).
	ANGPTL3 induces angiogenesis by binding to integrin alphavbeta3. ANGPTL3 is predominantly
	produced in the liver and can therefore be classified as a hepatokine. In the human plasma,
	ANGPTL3 is cleaved to release two fragments: a N-terminal coiled-coil domain-containing
	fragment (aa17-207) important for inhibiting the lipolysis of triglyceride and the C-terminal
	fibrinogen-like domain-containing fragment (aa208-460).
Molecular Weight:	~35-38kDa (SDS-PAGE)
UniProt:	Q9Y5C1
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	After reconstitution:for 10 μg size: 0.1 mg/mLfor 50 μg size: 1 mg/mL
Concentration:	Lot specific
Buffer:	Contains PBS.
Handling Advice:	After opening, prepare aliquots and store at -20 °C.Avoid freeze/thaw cycles.Centrifuge
	lyophilized vial before opening and reconstitution.For maximum product recovery after thawing,
	centrifuge the vial before opening the cap.
Storage:	4 °C,-20 °C
Storage Comment:	Short Term Storage: +4°C
	Long Term Storage: -20°C
	Use & Stability: Stable for at least 6 months after receipt when stored at -20°C. Working aliquots