

Datasheet for ABIN7566030

VTCN1 Protein (AA 29-258) (His tag)



[Go to Product page](#)

Overview

Quantity:	50 µg
Target:	VTCN1
Protein Characteristics:	AA 29-258
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This VTCN1 protein is labelled with His tag.

Product Details

Purpose:	B7-H4 (human) (rec.) (His)
Cross-Reactivity:	Human
Characteristics:	The extracellular domain of human B7-H4 (aa 29-258) is fused at the C-terminus to a His-tag.
Purity:	>95 % (SDS-PAGE)
Sterility:	Sterile filtered
Endotoxin Level:	<0.01EU/µg protein (LAL test, Lonza).

Target Details

Target:	VTCN1
Alternative Name:	B7-H4 (VTCN1 Products)
Background:	V-set Domain-containing T Cell Activation Inhibitor 1, VTCN1, B7h.5, Immune Costimulatory

Target Details

Protein B7-H4, T Cell Costimulatory Molecule B7x, Protein B7S1

B7-H4 is a B7 family member that negatively regulates T cell immunity by inhibiting of T cell proliferation, cytokine production, and cell cycle progression. In vitro, B7-H4 inhibits CD4+ and CD8+ T cell proliferation, cytokine production, and generation of alloreactive cytotoxic T-cells (CTLs). In vivo, blockade of endogenous B7-H4 by specific monoclonal antibody promotes T cell responses. B7-H4 is an important negative regulator of innate immunity through growth inhibition of neutrophils. B7-H4 is expressed on some tumor cancer cells. The role of B7-H4 in tumor progression may be to transform precancerous cells and then protect them from immunosurveillance.

Molecular Weight: ~50kDa (SDS-PAGE)

NCBI Accession: [NP_078902](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Buffer: Lyophilized from 0.2µm-filtered solution in PBS.

Handling Advice: Avoid freeze/thaw cycles. Centrifuge lyophilized vial before opening and reconstitution. PBS containing at least 0.1 % BSA should be used for further dilutions.

Storage: 4 °C, -20 °C

Storage Comment: Short Term Storage: +4°C
Long Term Storage: -20°C
Use & Stability: Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.