

Datasheet for ABIN7566177 **IL-10 Protein (AA 19-178) (Fc Tag)**



Overview

Quantity:	10 μg	
Target:	IL-10 (IL10)	
Protein Characteristics:	AA 19-178	
Origin:	Human	
Source:	CHO Cells	
Protein Type:	Recombinant	
Biological Activity:	Active	
Purification tag / Conjugate:	This IL-10 protein is labelled with Fc Tag.	

Product Details

Purpose:	IL-10 (human):Fc (human) (rec.) (non-lytic)	
Cross-Reactivity:	Human	
Characteristics:	The extracellular domain of human IL-10 (aa 19-178) is fused to the N-terminus of the Fc region of a mutant human IgG1.	
Purity:	>98 % (SDS-PAGE)	
Sterility:	Sterile filtered	
Endotoxin Level:	<0.06EU/µg protein (LAL test, Lonza).	
Biological Activity Comment:	Shows the biological function of the IL-10 moiety and exerts a prolonged circulating half-life caused by the modified Fc domain.	

Target Details		
Target:	IL-10 (IL10)	
Alternative Name:	IL-10 (IL10 Products)	
Background:	Interleukin-10, Cytokine Sythesis Inhibitory Factor, CSIF Interleukin-10 (IL-10) is a cytokine produced by activated Th2 cells, B cells, keratinocytes and monocytes/macrophages. In vitro murine and human IL-10 inhibits cytokine synthesis by Th1 cells, natural killer cells and monocytes/macrophages. Several studies have suggested the potential application of IL-10 as an anti-inflammatory agent in the treatment of septic shock and as an immunosuppressive agent in certain T cell mediated autoimmune diseases.	
NCBI Accession:	NP_000563	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response, Maintenance of Protein Location, Cancer Immune Checkpoints	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Buffer:	Lyophilized from 0.2µm-filtered solution in PBS.	

Г	Idi	IUIII	ıy

Format:	Lyophilized	
Buffer:	Lyophilized from 0.2µm-filtered solution in PBS.	
Handling Advice:	Avoid freeze/thaw cycles.Centrifuge lyophilized vial before opening and reconstitution.	
Storage:	4 °C,-20 °C	
Storage Comment:	Short Term Storage: +4°C	
	Long Term Storage: -20°C	
	Use & Stability: Stable for at least 1 year after receipt when stored at -20°C. Working aliquots	
	are stable for up to 3 months when stored at -20°C.	