

Datasheet for ABIN7566250

IL23 Protein (AA 20-189, AA 23-328) (DYKDDDDK Tag)



Overview

Quantity:	10 μg
Target:	IL23
Protein Characteristics:	AA 20-189, AA 23-328
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL23 protein is labelled with DYKDDDDK Tag.

Product Details

Target Details

Target:

IL23

Purpose:	IL-23 (human) (rec.)
Cross-Reactivity:	Human
Characteristics:	Human IL-12p40 peptide (aa 23-328) is fused at the C-terminus to a 18 aa linker peptide (GSTSGSGKPGSGEGSTKG) and to the IL-23p19 peptide (aa 20-189) and fused at the N-terminus to a DYKDDDDK Tag.
Purity:	>90 % (SDS-PAGE)
Sterility:	Sterile filtered
Endotoxin Level:	<0.06EU/µg purified protein (LAL test, Lonza).

Storage:

Storage Comment:

4 °C,-20 °C

Short Term Storage: +4°C

Long Term Storage: -20°C

Target Details	
Alternative Name:	IL-23 (IL23 Products)
Background:	Interleukin-23
	Interleukin-23 (IL-23) is a heterodimeric cytokine and a member of the IL-12 family involved in
	innate and adaptive immunity. It is composed of the IL-12 p40 chain covalently linked to p19, a
	chain related to the IL-12 p35 subunit. IL-23 signals through the IL-23 receptor complex, which
	is composed of the IL-12Rbeta1 chain and a gp130-like chain, IL-23R. Triggering of the IL-23
	receptor complex leads to the activation of Tyk2, Jak2 and STAT1, 3 and 4. IL-23 induces IFN-
	gamma production, Th1 cell differentiation, and activation of the antigen-presenting functions
	of dendritic cells. IL-23 induces autoimmune inflammation and thus may be responsible for
	autoimmune inflammatory diseases and important for tumorigenesis.
Molecular Weight:	~70kDa (SDS-PAGE)
UniProt:	Q9NPF7, P29460
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from 0.2µm-filtered solution in PBS.
Handling Advice:	After opening, prepare aliquots and store at -20 °C.Avoid freeze/thaw cycles.Centrifuge
	lyophilized vial before opening and reconstitution. PBS containing at least 0.1 % BSA should be used for further dilutions.

are stable for up to 3 months when stored at -20°C.

Use & Stability: Stable for at least 1 year after receipt when stored at -20°C. Working aliquots