

Datasheet for ABIN7571741  
**anti-TANK antibody (AA 131-369)**



[Go to Product page](#)

## Overview

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Quantity:            | 100 µg                                                   |
| Target:              | TANK                                                     |
| Binding Specificity: | AA 131-369                                               |
| Reactivity:          | Human                                                    |
| Host:                | Rabbit                                                   |
| Clonality:           | Polyclonal                                               |
| Conjugate:           | This TANK antibody is un-conjugated                      |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), ELISA |

## Product Details

|               |                                                           |
|---------------|-----------------------------------------------------------|
| Purpose:      | Anti-TANK Polyclonal antibody                             |
| Immunogen:    | E. coli - derived recombinant Human TANK (Leu131-Ile369). |
| Isotype:      | IgG                                                       |
| Purification: | Antigen affinity purification.                            |

## Target Details

|                   |                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------|
| Target:           | TANK                                                                                                      |
| Alternative Name: | TANK ( <a href="#">TANK Products</a> )                                                                    |
| Background:       | I-TRAF, TRAF family member-associated NF-kappa-B activator, TANK, ITRAF, TRAF-interacting protein, TRAF2, |

## Target Details

|           |                                                                                                                      |
|-----------|----------------------------------------------------------------------------------------------------------------------|
| UniProt:  | <a href="#">Q92844</a>                                                                                               |
| Pathways: | <a href="#">p53 Signaling</a> , <a href="#">TLR Signaling</a> , <a href="#">Activation of Innate immune Response</a> |

## Application Details

|                    |                                                                    |
|--------------------|--------------------------------------------------------------------|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Restrictions:      | For Research Use only                                              |

## Handling

|                    |                                                                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                                                                                |
| Buffer:            | 0.01M PBS, pH 7.4, 50 % glycerol, 0.05 % Proclin 300.                                                                                                                 |
| Preservative:      | ProClin                                                                                                                                                               |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                                                     |
| Storage:           | 4 °C, -20 °C, -80 °C                                                                                                                                                  |
| Storage Comment:   | Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4°C for frequent use. Store at -20 to -80 °C for twelve months from the date of receipt. |