

## Datasheet for ABIN7571988

## anti-LYN antibody (AA 263-491)



Go to Product page

_						
	V	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Quantity:	100 μg	
Target:	LYN	
Binding Specificity:	AA 263-491	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This LYN antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)	
Product Details		
Purpose:	Anti-LYN Polyclonal antibody	
Purpose: Immunogen:	Anti-LYN Polyclonal antibody  E. coli - derived recombinant Human LYN (Met263-Asp491).	
·		
Immunogen:	E. coli - derived recombinant Human LYN (Met263-Asp491).	
Immunogen: Isotype:	E. coli - derived recombinant Human LYN (Met263-Asp491).  IgG	
Immunogen: Isotype: Purification:	E. coli - derived recombinant Human LYN (Met263-Asp491).  IgG	
Immunogen: Isotype: Purification: Target Details	E. coli - derived recombinant Human LYN (Met263-Asp491).  IgG  Antigen affinity purification.	
Immunogen: Isotype: Purification: Target Details Target:	E. coli - derived recombinant Human LYN (Met263-Asp491).  IgG  Antigen affinity purification.  LYN	

## **Target Details**

- arget Details		
UniProt:	P07948	
Pathways:	Fc-epsilon Receptor Signaling Pathway, Hormone Transport, Response to Growth Hormone Stimulus, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Media Immunity, Positive Regulation of Immune Effector Process, CXCR4-mediated Signaling Eventhromboxane A2 Receptor Signaling, Integrin Complex, BCR Signaling	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, 50 % glycerol, 0.05 % Proclin 300.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4°C for frequent use. Store at -20 to -80 °C for twelve months from the date of receipt.	