

Datasheet for ABIN7575132 **BCAR1 Protein (His tag)**



Overview

| 00000000 | |
|-------------------------------|--|
| Quantity: | 100 µg |
| Target: | BCAR1 |
| Origin: | Human |
| Source: | Escherichia coli (E. coli) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This BCAR1 protein is labelled with His tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA |
| Product Details | |
| Purpose: | Recombinant Human BCAR1, N-His |
| Sequence: | Met1-Leu240 |
| Target Details | |
| Target: | BCAR1 |
| Alternative Name: | BCAR1 (BCAR1 Products) |
| Background: | Breast cancer anti-estrogen resistance protein 1, CRK-associated substrate, CASS1, Cas |
| | scaffolding protein family member 1, CRKAS, BCAR1, CAS, p130cas |
| Molecular Weight: | 28.29 kDa |
| UniProt: | P56945 |
| Pathways: | EGFR Signaling Pathway, Neurotrophin Signaling Pathway, CXCR4-mediated Signaling Events, |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7575132 | 04/28/2025 | Copyright antibodies-online. All rights reserved.

Target Details

Platelet-derived growth Factor Receptor Signaling

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Reconstitute in sterile water for a stock solution. |
| Buffer: | Lyophilized from a solution in PBS pH 7.4, 0.02 % NLS, 1 mM EDTA, 4 % Trehalose, 1 % Mannitol. |
| Storage: | 4 °C,-20 °C,-80 °C |
| Storage Comment: | Use a manual defrost freezer and avoid repeated freeze thaw cycles.Store at 2 to 8 °C for one week .Store at -20 to -80 °C for twelve months from the date of receipt. |

Application Details