

Datasheet for ABIN7581788

## Recombinant Mouse anti-Goat IgG Antibody (HRP)



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	500 µL
Target:	IgG
Reactivity:	Goat
Host:	Mouse
Expression System:	Phage display
Antibody Type:	Recombinant Antibody
Clonality:	Multiclonal
Conjugate:	HRP
Application:	ELISA, Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (IF)

#### Product Details

Purpose:	recombinant Multiclonal anti-goat IgG
Immunogen:	No immunization, animal-free antibody development
Isotype:	IgG2a
Specificity:	This is an antibody developed by antibody phage display technology using a human naive antibody gene library and goat IgG antigen. For this antibody both the heavy and light chains are cloned and expressed, generating full-length antibodies.
No Cross-Reactivity:	Goat, Human, Mouse
Cross-Reactivity (Details):	No known cross reactivity. No cross reactivity to mouse IgG, human IgG, goat IgG. Other species were not tested.

## Product Details

Characteristics:	<p>Multiconals are recombinant secondary antibodies that combine the best of polyclonal antisera and hybridoma monoclonal antibodies, while eliminating their disadvantages, plus they add the quality of recombinant reagents. Multiconal antibodies consist of carefully adjusted mixtures recognizing different epitopes on all subclasses of goat IgG. Their respective epitope binding sites do not compete with each other, therefore amplifying signal strengths.</p> <p>Multiconals can contain up to 17 different individually tested monoclonal recombinant antibodies. This provides the typical advantage of polyepitope recognition which is key to the broad application profile of polyclonal antisera, but eliminates their disadvantages (limited batch sizes and batch-to-batch variations, no long-term reproducibility, undefined composition, unknown constituents). Multiconals are completely sequence defined, implying their unlimited long-term availability and always identical test results. Their composition of individually characterised antibodies minimizes cross-reactivity with other targets, since they do not contain non-target directed IgG like all animal derived polyclonals do. This allows for a much lower unspecific binding reactivity in many assays compared to animal based products.</p>
------------------	--

Purification:	Protein A purification
---------------	------------------------

Grade:	Animal-Free
--------	-------------

## Target Details

Target:	IgG
---------	-----

Abstract:	<a href="#">IgG Products</a>
-----------	------------------------------

Target Type:	Antibody
--------------	----------

Molecular Weight:	150 kDa
-------------------	---------

## Application Details

Application Notes:	Western Blot: 1:1,000 - 1:20,000 ELISA: 1:1,000 - 1:50,000 Optimal working dilution should be determined by the investigator
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Liquid
---------	--------

Buffer:	PBS, pH 7.4, 0,02 % ProClin300
---------	--------------------------------

Preservative:	ProClin
---------------	---------

Handling

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Images

ELISA

**Image 1.** HA-tagged Protein was coated on an ELISA plate at 100 ng. Anti-HA-tag, (ABIN7581772), was titrated on top. Detection with animalfree anti-goat HRP conjugated antibody (ABIN7581788). Binding reactions were visualized using TMB. Absorbance was measured in an ELISA plate reader at 450 nm using the signal at 620 nm as reference.

