

Datasheet for ABIN758257 anti-MTOR antibody (pThr2446)

1 Image



Overview

Quantity:	100 μL
Target:	MTOR (mTOR)
Binding Specificity:	pThr2446
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MTOR antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human mTOR around the phosphorylation site of Thr2446
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	MTOR (mTOR)

Target Details

Alternative Name:	mTOR (mTOR Products)
Background:	Synonyms: dJ576K7.1 FK506 binding protein 12 rapamycin associated protein 1, FK506
	binding protein 12 rapamycin associated protein 1, FK506 binding protein 12 rapamycin
	associated protein 2, FK506 binding protein 12 rapamycin complex associated protein 1, FK500
	binding protein12-rapamycin associated protein 1, FK506 binding protein12-rapamycin
	associated protein 2, FK506-binding protein 12-rapamycin complex-associated protein 1, FKBP
	rapamycin associated protein, FKBP12 rapamycin complex associated protein, FKBP12-
	rapamycin complex-associated protein, FLJ44809, FRAP, FRAP1, FRAP2, Mammalian target of
	rapamycin, Mechanistic target of rapamycin, mTOR, MTOR_HUMAN, OTTHUMP0000001983,
	RAFT1, Rapamycin and FKBP12 target 1, Rapamycin associated protein FRAP2, Rapamycin
	target protein 1, Rapamycin target protein, RAPT1, Serine/threonine-protein kinase mTOR.
	Background: mTOR is one of a family of proteins involved in cell cycle progression, DNA
	recombination, and DNA damage detection. In rat, it is a 289- kDa protein (symbolized RAFT1)
	with significant homology to the Saccharomyces cerevisiae protein TOR1 and has been shown
	to associate with the immunophilin FKBP12 in a rapamycin dependent fashion. The FKBP12-
	rapamycin complex is known to inhibit progression through the G1 cell cycle stage by
	interfering with mitogenic signaling pathways involved in G1 progression in several cell types,
	as well as in yeast. The binding of FRAP to FKBP12-rapamycin correlated with the ability of
	these ligands to inhibit cell cycle progression.
Gene ID:	1735
UniProt:	P42345
Pathways:	PI3K-Akt Signaling, RTK Signaling, AMPK Signaling, Interferon-gamma Pathway, Fc-epsilon
	Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway,
	Regulation of Actin Filament Polymerization, Regulation of Muscle Cell Differentiation,
	Regulation of Cell Size, Skeletal Muscle Fiber Development, Regulation of Carbohydrate
	Metabolic Process, Autophagy, CXCR4-mediated Signaling Events, BCR Signaling, Warburg
	Effect
Application Details	
Application Notes:	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-P 1:200-400 IHC-F 1:100-500

Application Dataila

Concentration:

Application Details	
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

ProClin Preservative:

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

handled by trained staff only.


 $1 \mu g/\mu L$

Storage: 4 °C,-20 °C

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. Storage Comment:

Expiry Date: 12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human labeled with Anti-Phospho-mTOR colon carcinoma (Thr2446) Polyclonal Antibody, Unconjugated (ABIN758257) at 1:200 followed by conjugation to the secondary antibody