

# Datasheet for ABIN7583270

## IL13RA2 Protein (AA 27-342) (His tag)



#### Overview

Quantity:	100 μg
Target:	IL13RA2
Protein Characteristics:	AA 27-342
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL13RA2 protein is labelled with His tag.

#### **Product Details**

Purpose:	Human IL-13Ra2 Protein
Sequence:	Asp27-Leu342
Characteristics:	Recombinant Human IL-13Ra2 Protein is expressed from HEK293 with His tag at the C-terminus. It contains Asp27-Leu342.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

## Target Details

Target:	IL13RA2
Alternative Name:	IL-13Ra2 (IL13RA2 Products)

### **Target Details**

Expiry Date:

12 months

· ·	
Background:	Two type 1 membrane proteins belonging to the hemopoietin receptor family have been cloned and shown to bind IL-13 with differing affinities. The lower affinity IL-13 binding protein, previously designated IL-13 R alpha, IL-13 R alpha ' or NR4, is now referred to as IL-13 R alpha 1. The high-affinity IL-13 binding protein, previously also designated IL-13 R or IL-13 R alpha ', is now referred to as IL-13 R alpha 2.
Molecular Weight:	38.28 kDa. Due to glycosylation, the protein migrates to 50-70 kDa based on Tris-Bis PAGE result.
UniProt:	Q14627
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.