

Datasheet for ABIN7583674
BTG2 Protein (AA 1-158) (His tag)



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	BTG2
Protein Characteristics:	AA 1-158
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This BTG2 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	MSHGKRTDML PEIAAAGVFL TSLLRTRGCV SEQRLKVFSR ALQDALTDHY KHHWFPEKPS KSGGYRCIRI NHKMDPIISK VASQIGLSQP QLHQLLPSEL TLWVDPYEVS YRIGEDGSIC VLYEEAPVAT SYGLLTCKNQ MMLGRSSPSK NYVMTVSS
Specificity:	Rattus norvegicus (Rat)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	BTG2
Alternative Name:	Protein BTG2 (Btg2) (BTG2 Products)

Target Details

Background:	Recommended name: Protein BTG2. Alternative name(s): BTG family member 2 NGF-inducible anti-proliferative protein PC3
UniProt:	P27049
Pathways:	MAPK Signaling

Application Details

Comment:	The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modiflicated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.