

Datasheet for ABIN7584647 **HCK Protein (AA 2-524) (His tag)**



Overview

Quantity:	100 μg
Target:	HCK
Protein Characteristics:	AA 2-524
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This HCK protein is labelled with His tag.
Application:	ELISA

Application:	ELISA
Product Details	
Sequence:	GGRSSCEDP GCPRGEGRVP RMGCVKSRFL REGSKASKIE PNANQKGPVY VPDPTSPKKL
	GPNSINSLPP GVVEGSEDTI VVALYDYEAI HREDLSFQKG DQMVVLEESG EWWKARSLAT
	KKEGYIPSNY VARVNSLETE EWFFKGISRK DAERHLLAPG NMLGSFMIRD SETTKGSYSL
	SVRDFDPQHG DTVKHYKIRT LDSGGFYISP RSTFSSLQEL VVHYKKGKDG LCQKLSVPCV
	SPKPQKPWEK DAWEIPRESL QMEKKLGAGQ FGEVWMATYN KHTKVAVKTM KPGSMSVEAF
	LAEANLMKTL QHDKLVKLHA VVSQEPIFIV TEFMAKGSLL DFLKSEEGSK QPLPKLIDFS
	AQISEGMAFI EQRNYIHRDL RAANILVSAS LVCKIADFGL ARIIEDNEYT AREGAKFPIK
	WTAPEAINFG SFTIKSDVWS FGILLMEIVT YGRIPYPGMS NPEVIRALEH GYRMPRPDNC
	PEELYSIMIR CWKNRPEERP TFEYIQSVLD DFYTATESQY QQQP
Specificity:	Rattus norvegicus (Rat)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details > 90 % Purity: **Target Details HCK** Target: Alternative Name Tyrosine-protein kinase HCK (Hck) (HCK Products) Background: Recommended name: Tyrosine-protein kinase HCK. EC= 2.7.10.2. Alternative name(s): Hematopoietic cell kinase Hemopoietic cell kinase p56-HCK p56Hck p59Hck UniProt: P50545 Pathways: Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Regulation of Actin Filament Polymerization, CXCR4-mediated Signaling Events, Thromboxane A2 Receptor Signaling **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Format: Lyophilized Concentration: 0.2-2 mg/mL Buffer: Tris-based buffer, 50 % glycerol

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling Advice:

Handling

	one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.