

Datasheet for ABIN7585033 MAP3K7 Protein (AA 1-606) (His tag)



Overview

Quantity:	100 μg
Target:	MAP3K7
Protein Characteristics:	AA 1-606
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAP3K7 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:

MSTASAASSS SSSSASEMIE APSQVLNFEE IDYKEIEVEE VVGRGAFGVV CKAKWRAKDV
AIKQIESESE RKAFIVELRQ LSRVNHPNIV KLYGACLNPV CLVMEYAEGG SLYNVLHGAE
PLPYYTAAHA MSWCLQCSQG VAYLHSMQPK ALIHRDLKPP NLLLVAGGTV LKICDFGTAC
DIQTHMTNNK GSAAWMAPEV FEGSNYSEKC DVFSWGIILW EVITRRKPFD EIGGPAFRIM
WAVHNGTRPP LIKNLPKPIE SLMTRCWSKD PSQRPSMEEI VKIMTHLMRY FPGADEPLQY
PCQYSDEGQS NSATSTGSFM DIASTNTSNK SDTNMEQVPA TNDTIKRLES KLLKNQAKQQ
SDSGRLSLGA SRGSSVESLP PTSEGKRMSA DMSEIEARIV ATTAYTKPKR GHRKTASFGN
ILDVPEIVIS GNGQPRRRSI QDLTVTGTEP GQVSSRSSSP SVRMITTSGP TSEKPARSLP
WTPDDSTDTN GSDNSIPMAY LTLDHQLQPL APCPNSKESM AVFEQHCKMA QEYMKVQTEI
ALLLQRKQEL VAELDQDEKD QQNTSRLVQE HKKLLDENKS LSTYYQQCKK QLEVIRSQQQ
KROGTS

Specificity: Rattus norvegicus (Rat)

Product Details Characteristics: Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time. Purity: > 90 % **Target Details** MAP3K7 Target: Abstract: MAP3K7 Products Background: Recommended name: Mitogen-activated protein kinase kinase kinase 7. EC= 2.7.11.25 UniProt: P0C8E4 Pathways: NF-kappaB Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway, Activation of Innate immune Response, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Tube Formation, Toll-Like Receptors Cascades, BCR Signaling, Ubiquitin Proteasome Pathway **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling

Lyophilized

0.2-2 mg/mL

Format:

Concentration:

Handling

Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.