

## Datasheet for ABIN7585039 MAPK10 Protein (AA 1-464) (His tag)



## Overview

Quantity:	100 μg
Target:	MAPK10
Protein Characteristics:	AA 1-464
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAPK10 protein is labelled with His tag.
Application:	ELISA

Application:	ELISA
Product Details	
Sequence:	MSLHFLYYCS EPTLDVKIAF CQGFDKHVDV SSVVKHYNMS KSKVDNQFYS VEVGDSTFTV
	LKRYQNLKPI GSGAQGIVCA AYDAVLDRNV AIKKLSRPFQ NQTHAKRAYR ELVLMKCVNH
	KNIISLLNVF TPQKTLEEFQ DVYLVMELMD ANLCQVIQME LDHERMSYLL YQMLSAIKHL
	HSAGIIHRDL KPSNIVVKSD CTLKILDFGL ARTAGTSFMM TPYVVTRYYR APEVILGMGY
	KENVDIWSVG CIMGEMVRHK ILFPGRDYID QWNKVIEQLG TPCPEFMKKL QPTVRNYVEN
	RPKYAGLTFP KLFPDSLFPA DSEHNKLKAS QARDLLSKML VIDPAKRISV DDALQHPYIN
	VWYDPAEVEA PPPQIYDKQL DEREHTIEEW KELIYKEVMN SEEKTKNGVV KGQPSPSGAA
	VNSSESLPPS SSVNDISSMS TDQTLASDTD SSLEASAGPL GCCR
Specificity:	Rattus norvegicus (Rat)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalie
	cells or by baculovirus infection. Be aware about differences in price and lead time.

## **Product Details** > 90 % Purity: **Target Details** Target: MAPK10 Abstract: MAPK10 Products Background: Recommended name: Mitogen-activated protein kinase 10. Short name= MAP kinase 10. Short name= MAPK 10. EC= 2.7.11.24. Alternative name(s): SAPK-beta Stress-activated protein kinase JNK3 c-Jun N-terminal kinase 3 p54-beta UniProt: P49187 Pathways: MAPK Signaling, WNT Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway, Activation of Innate immune Response, Hepatitis C, Toll-Like Receptors Cascades **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only

Handling

Format:

Lyophilized

Concentration:

0.2-2 mg/mL

Buffer:

Tris-based buffer, 50 % glycerol

## Handling

Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.