

Datasheet for ABIN7585317
NPPC Protein (AA 74-126) (His tag)



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	NPPC
Protein Characteristics:	AA 74-126
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This NPPC protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	DLRVDTK SRAAWARLLH EHPNARKYKG GNKKGLSKGC FGLKLDRIGS MSGLG C
Specificity:	Rattus norvegicus (Rat)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	NPPC
Alternative Name:	C-type natriuretic peptide (Nppc) (NPPC Products)
Background:	Recommended name: C-type natriuretic peptide Cleaved into the following 3 chains: 1.

Target Details

CNP-22 2.

CNP-29 3.

CNP-53

UniProt:

[P55207](#)

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:

Lyophilized

Concentration:

0.2-2 mg/mL

Buffer:

Tris-based buffer, 50 % glycerol

Handling Advice:

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Storage:

-20 °C

Storage Comment:

Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.