

Datasheet for ABIN7586152 **SHC2 Protein (AA 1-573) (His tag)**



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	100 μg
Target:	SHC2
Protein Characteristics:	AA 1-573
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This SHC2 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	MTQGPGGRAA PEPEAPTTFC ALLPRMPQWK FAAPGSFLGR GPAAARVAGA AEAQPEPGVP
	ALAAVLGACE PRCAAPCPLP ALGRCRGSGS RGARGTPDVA DEWVRKGGFI HKPAHGWLHP

DARVLGPGVS YIVRYMGCIE VLRSMRSLDF NTRTQVTREA INRLHEAVPG VRGSWKKKAP
NKALASILGK SNLRFAGMSI SVNISVDGLN LSVPATRQII ANHHMQSISF ASGGDTDMTD
YVAYVAKDPI NQRACHILEC CEGLAQSVIS TVGQAFELRF KQYLHSPPKA VVPPERLTGL
EESAWGDGEV TADHDYYNSI PGKEPPLGGL VDSRLAVTQP CALTTLGGLG QGLSPAWRDV
RGLPWDMGPS GAVPPGDGYV QADARGPHDY EEHLYVNTQG LDALELEDTS ETPLQPEDSP
KKDLFDMRPF EDALKLHECS VAAGITAASL PLEDQWPSPP TRRAPIAPTE EQLRQEPWYH
GRMSRRAAEK LLRADGDFLV RDSITNPGQY VLTGMHAGQP KHLLLVDPEG VVRTKDVLFE

SISHLIDYHL KNGLPIVAAE SELHLRGVVS REP

Specificity: Rattus norvegicus (Rat)

Characteristics: Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien

Product Details

cells or by baculovirus infection. Be aware about differences in price and lead time.	
> 90 %	
SHC2	
SHC-transforming protein 2 (Shc2) (SHC2 Products)	
Recommended name: SHC-transforming protein 2.	
Alternative name(s): Protein Sck SH2 domain protein C2 Src homology 2 domain-containing-	
transforming protein C2	
070142	
RTK Signaling, Neurotrophin Signaling Pathway, Signaling Events mediated by VEGFR1 and	
VEGFR2, VEGFR1 Specific Signals, VEGF Signaling	
The yeast protein expression system is the most economical and efficient eukaryotic system	
for secretion and intracellular expression. A protein expressed by the mammalian cell system i	
of very high-quality and close to the natural protein. But the low expression level, the high cost	
of medium and the culture conditions restrict the promotion of mammalian cell expression	
systems. The yeast protein expression system serve as a eukaryotic system integrate the	
advantages of the mammalian cell expression system. A protein expressed by yeast system	
could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the	
native protein conformation. It can be used to produce protein material with high added value	
that is very close to the natural protein. Our proteins produced by yeast expression system has	
been used as raw materials for downstream preparation of monoclonal antibodies.	
For Research Use only	
Lyophilized	
0.2-2 mg/mL	
Tris-based buffer, 50 % glycerol	
Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to	

Handling

	one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.