

## Datasheet for ABIN7588209

# PHKG2 Protein (AA 1-406) (His tag)



Go to Product page

| $\sim$ |      |      |        |    |
|--------|------|------|--------|----|
| ( )\   | /e   | r\/  |        | ٨  |
| ( ) 1  | v C. | ı vı | $\Box$ | ΙV |

| Quantity:                     | 100 μg                                       |
|-------------------------------|--|
| Target:                       | PHKG2  |
| Protein Characteristics:      | AA 1-406                                     |
| Origin:                       | Cow  |
| Source:                       | Yeast  |
| Protein Type:                 | Recombinant                                  |
| Purification tag / Conjugate: | This PHKG2 protein is labelled with His tag. |
| Application:                  | ELISA  |

| Application:     | ELISA  |
|------------------|--|
| Product Details  |  |
| Sequence:        | MTLDVGPEDE LPDWAAAKEF YQKYDPKDVI GRGVSSVVRR CVHRATGQEF AVKIMEVTAE                                |
|                  | RLSPEQLEEV REATRRETHI LRQVAGHPHI ITLIDSYESS SFMFLVFDLM RKGELFDYLT                                |
|                  | EKVALSEKET RSIMRSLLEA VSFLHNNNIV HRDLKPENIL LDDNMQIRLS DFGFSCHLEP                                |
|                  | GEKLRELCGT PGYLAPEILK CSMDETHPGY GKEVDLWACG VILFTLLAGS PPFWHRRQIL                                |
|                  | MLRMIMEGQY QFSSPEWDDR SDTVKDLISR LLQVDPVERL TAEQALQHPF FERCEGSQAW                                |
|                  | NLTPRQRFRV AVWTVLAAGR VALSAHRIRP LTKSALLRDP YALRPVRRLI DNCAFRLYGH                                |
|                  | WVKKGEQQNR AALFQHRPPG PFPMMGPEEE GDSATIAEDE AMLVLG   |
| Specificity:     | Bos taurus (Bovine)  |
| Characteristics: | Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien |
|                  | cells or by baculovirus infection. Be aware about differences in price and lead time.            |
| Purity:          | > 90 %   |

#### **Target Details**

| Target:           | PHKG2  |
|-------------------|--|
| Alternative Name: | Phosphorylase b kinase gamma catalytic chain, testis/liver isoform (PHKG2) (PHKG2 Products |
| Background:       | Recommended name: Phosphorylase b kinase gamma catalytic chain, testis/liver isoform.      |
|                   | Short name= PHK-gamma-T.   |
|                   | EC= 2.7.11.19.   |
|                   | Alternative name(s): Phosphorylase kinase subunit gamma-2 Serine/threonine-protein kinase  |
|                   | PHKG2.   |
|                   | EC= 2.7.11.1.  |
|                   | EC= 2.7.11.26  |
| UniProt:          | Q2KJ16   |
| Pathways:         | Cellular Glucan Metabolic Process, Regulation of Carbohydrate Metabolic Process            |

### **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

#### Handling

| Format:          | Lyophilized   |
|------------------|---|
| Concentration:   | 0.2-2 mg/mL   |
| Buffer:          | Tris-based buffer, 50 % glycerol  |
| Handling Advice: | Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week |
| Storage:         | -20 °C  |

Storage Comment:

Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.