

# Datasheet for ABIN7590932 **IKBKG Protein (AA 1-419) (His tag)**



#### Overview

Quantity:	100 μg
Target:	IKBKG
Protein Characteristics:	AA 1-419
Origin:	Cow
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This IKBKG protein is labelled with His tag.
Application:	ELISA

Application:	ELISA
Product Details	
Sequence:	MSRPPWKSPL CEMVQPSGSP AGDQDMLGEE SSLGKPAMLH VPSEQGTPET FQRCLEENQE
	LRDAIRQSNQ MLRERCEELQ HFQGNQREEK AFLMQKFQEA RDLVVRLSLE KRELRQQREQ
	ALKEVERLKT CQQQMAEDKA SVKAQVTSLL GELQESQSRL EAATKERQAL ESRARVASEK
	ARQLESEREA LEQRHSVQVD QLVLQNESME AALRMERQAA SEEKRKLAQL QVAYHQLFQE
	YDNHMKSSMV SSERNRGLQL EDLKQQLQQA EEALVAKQEV IDKLKEEAEQ HKIVMETVPV
	LKAQADIYKA DFQAERQARE KLAEKKEFLQ EQLEQLQREY SRLKTSCQES ARIEDMRKRH
	VEVSQPPLAP GPAHHSFHLN PSSQRRSPPD EPPKFCCPKC QYQAPDIDTL QIHVMECIE
Specificity:	Bos taurus (Bovine)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

#### **Target Details**

Target:	IKBKG
Alternative Name:	NF-kappa-B essential modulator (IKBKG) (IKBKG Products)
Background:	Recommended name: NF-kappa-B essential modulator.
	Short name= NEMO.
	Alternative name(s): IkB kinase-associated protein 1.
	Short name= IKKAP1 Inhibitor of nuclear factor kappa-B kinase subunit gamma.
	Short name= I-kappa-B kinase subunit gamma.
	Short name= IKK-gamma.
	Short name= IKKG.
	Short name= IkB kinase subunit gamma NF-kappa-B essential modifier
UniProt:	Q95KU9
Pathways:	NF-kappaB Signaling, RTK Signaling, TCR Signaling, TLR Signaling, Fc-epsilon Receptor
	Signaling Pathway, Activation of Innate immune Response, M Phase, Production of Molecular
	Mediator of Immune Response, Hepatitis C, Protein targeting to Nucleus, Toll-Like Receptors
	Cascades, BCR Signaling, Ubiquitin Proteasome Pathway, S100 Proteins

## **Application Details**

Comment:
----------

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

## Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL

## Handling

Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.