

Datasheet for ABIN7591468 Src Protein (AA 2-536) (His tag)



Overview

Quantity:	100 μg
Target:	Src
Protein Characteristics:	AA 2-536
Origin:	Rat
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This Src protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	GSNKSKPKD ASQRRRSLEP AENVHGAGGA FPASQTPSKP ASADGHRGPN AAFVPPAAAE
	PKLFGGFNSS DTVTSPQRAG PLAGGVTTFV ALYDYESRTE TDLSFKKGER LQIVNNTEGD
	WWLAHSLSTG QTGYIPSNYV APSDSIQAEE WYFGKITRRE SERLLLNAEN PRGTFLVRES
	ETTKGAYCLS VSDFDNAKGL NVKHYKIRKL DSGGFYITSR TQFNSLQQLV AYYSKHADGL

CHRLTTVCPT SKPQTQGLAK DAWEIPRESL RLEVKLGQGC FGEVWMGTWN GTTRVAIKTL KPGTMSPEAF LQEAQVMKKL RHEKLVQLYA VVSEEPIYIV TEYMNKGSLL DFLKGETGKY LRLPQLVDMS AQIASGMAYV ERMNYVHRDL RAANILVGEN LVCKVADFGL ARLIEDNEYT ARQGAKFPIK WTAPEAALYG RFTIKSDVWS FGILLTELTT KGRVPYPGMV NREVLDQVER

GYRMPCPPEC PESLHDLMCQ CWRKEPEERP TFEYLQAFLE DYFTSTEPQY QPGENL

Specificity: Rattus norvegicus (Rat)

Characteristics: Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien

cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details

Purity:

> 90 %

Target Details

Target:	Src
Abstract:	Src Products
Target Type:	Viral Protein
Background:	Recommended name: Proto-oncogene tyrosine-protein kinase Src.
	EC= 2.7.10.2.
	Alternative name(s): Proto-oncogene c-Src pp60c-src.
	Short name= p60-Src
UniProt:	Q9WUD9

Q9WUD9

Pathways:

JAK-STAT Signaling, Neurotrophin Signaling Pathway, Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid Hormone Receptor Signaling, Cellular Response to Molecule of Bacterial Origin, Cell-Cell Junction Organization, Regulation of Carbohydrate Metabolic Process, Autophagy, CXCR4-mediated Signaling Events, Signaling Events mediated by VEGFR1 and VEGFR2, Smooth Muscle Cell Migration, Negative Regulation of intrinsic apoptotic Signaling, Platelet-derived growth Factor Receptor Signaling, Thromboxane A2 Receptor Signaling, Signaling of Hepatocyte Growth Factor Receptor, VEGF Signaling

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.