

Datasheet for ABIN7595548

anti-GSG2 antibody (AA 1-798) (FL550)



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	200 μL
Target:	GSG2
Binding Specificity:	AA 1-798
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This GSG2 antibody is conjugated to FL550
Application:	Immunocytochemistry (ICC)

Product Details

Purpose:	Anti-Haspin/GSG2 Antibody FL550 Conjugate	
Immunogen:	Fusion protein amino acids 1-798 (full-length) of human Haspin (accession number Q8TF76)	
Clone:	N128A-2	
Isotype:	lgG1	
Specificity:	No off-targets reported	
Cross-Reactivity:	Human	
Characteristics:	Description: Our Anti-Haspin/GSG2 mouse monoclonal primary antibody is produced in-house	
	from hybridoma clone N128A/2. It detects human Haspin/GSG2, and is purified by Protein A	
	chromatography. It is great for use in ICC.	
	Manufacturer Comment: We produce our Haspin/GSG2 mouse monoclonal primary antibody	

Product Details

	from hybridoma clone N128A/2. It is great in ICC and is purified by Protein A chromatography.	
Purification:	Produced by in vitro bioreactor culture of hybridoma line followed by Protein A affinity	
	chromatography and conjugation of purified mAb.	
Purity:	> 90 % specific antibody	
Target Details		
Target:	GSG2	
Alternative Name:	GSG2 (GSG2 Products)	
Background:	Synonyms: Serine/threonine-protein kinase haspin (EC 2.7.11.1) (Germ cell-specific gene 2	
	protein) (H-haspin) (Haploid germ cell-specific nuclear protein kinase)	
	Target Description: Histone H3 Associated Protein Kinase is encoded by the gene HASPIN.	
	HASPIN is a member of the protein kinase superfamily, Ser/Thr protein kinase family, and the	
	Haspin subfamily. HASPIN is a serine/threonine - protein kinase that phosphorylates histone H3	
	at 'Thr-3' (H3T3ph) during mitosis. HASPIN may act through H3T3ph to both position and	
	modulate activation of AURKB and other components of the chromosomal passenger complex	
	(CPC) at centromeres to ensure proper chromatid cohesion, metaphase alignment, and normal	
	progression through the cell cycle. HASPIN is expressed in the testis, thymus, bone marrow,	
	prostate, intestine, lung, spleen, and lymph node. No diseases were found to be associated with	
	HASPIN.	
	Gene Name Alternatives: HASPIN GSG2	
Molecular Weight:	90 kDa	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	PBS with 0.09 % azide	
Preservative:	Sodium azide	

Handling

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Aliquot and store at ≤ -20°C for long term storage. For short term storage, store at 2-8°C. For maximum recovery of product, centrifuge the vial prior to removing the cap.
Expiry Date:	12 months