

Datasheet for ABIN7595714 anti-STRN4 antibody (AA 42-354) (FL594)



_			
()	V/C	rv	٨/

Quantity:	200 μL
Target:	STRN4
Binding Specificity:	AA 42-354
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This STRN4 antibody is conjugated to FL594
Application:	Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Purpose:	Anti-Zinedin Antibody FL594 Conjugate
Immunogen:	Fusion protein amino acids 42-354 of human Zinedin/Striatin-4 (accession number Q9NRL3) produced recombinantly in E. Coli
Clone:	K88-64
Isotype:	lgG2a
Specificity:	No off-targets reported
Cross-Reactivity:	Rat
Characteristics:	Description: Our Anti-Zinedin mouse monoclonal primary antibody is produced in-house from hybridoma clone K88/64. It detects rat Zinedin, and is purified by Protein A chromatography. It is great for use in IHC, ICC.

Product Details

	Manufacturer Comment: We produce our Zinedin mouse monoclonal primary antibody from	
	hybridoma clone K88/64. It is great in IHC, ICC and is purified by Protein A chromatography.	
Purification:	Produced by in vitro bioreactor culture of hybridoma line followed by Protein A affinity	
	chromatography and conjugation of purified mAb.	
Purity:	> 90 % specific antibody	
Target Details		
Target:	STRN4	
Alternative Name:	Zinedin (STRN4 Products)	
Background:	Synonyms: Striatin-4 (Zinedin)	
	Target Description: Zinedin, Stiatin4 or Protein Phosphatase 2 Regulatory Subunit B'Gamma is	
	encoded by the gene STRN4 and is a member of the Striatin family (which also includes Stiatin	
	and SG2NA). Zinedin is a scaffolding protein with multiple protein binding domains. Zinedin	
	binds calmodulin and acts as a calcium dependent signaling protein. Zinedin is found in the	
	brain and the nervous system. Diseases associated with this gene includeing Cerebral	
	Cavernous Malformations 3 and Muscular Dystrophy-Dystroglycanopathy.	
	Gene Name Alternatives: STRN4 ZIN	
Molecular Weight:	95 kDa	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	PBS with 0.09 % azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment: Aliquot and store at ≤ -20°C for long term storage. For short term storage, storage	
	maximum recovery of product, centrifuge the vial prior to removing the cap.
Expiry Date:	12 months