

# Datasheet for ABIN7596622

# TLR5 Protein (DYKDDDDK Tag, Strep Tag)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Human  HEK-293 Cells  Synthetic Nanodisc  This TLR5 protein is labelled with DYKDDDDK Tag,Strep Tag.  Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic electron microscopy (cryo-EM)
HEK-293 Cells  Synthetic Nanodisc  This TLR5 protein is labelled with DYKDDDDK Tag,Strep Tag.  Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic
Synthetic Nanodisc  This TLR5 protein is labelled with DYKDDDDK Tag,Strep Tag.  Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic
This TLR5 protein is labelled with DYKDDDDK Tag,Strep Tag.  Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic
Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic
Human TLR5-Strep full length protein-synthetic nanodisc
TLR5
TLR5 (TLR5 Products)
MELIOS, SLE1, SLEB1, TIL3  Toll-like receptor (TLR) family plays a fundamental role in pathogen recognition and activation of innate immune responses. These receptors recognize distinct pathogen-associated molecular patterns that are expressed on infectious agents. The protein encoded by this gene recognizes bacterial flagellin, the principal component of bacterial flagella and a virulence factor. The activation of this receptor mobilizes the nuclear factor NF-kappaB, which in turn activates a host of inflammatory-related target genes. Mutations in this gene have been

# **Target Details**

	associated with both resistance and susceptibility to systemic lupus erythematosus, and susceptibility to Legionnaire disease.
Molecular Weight:	The human full length TLR5-Strep protein has a MW of 97.8 kDa
UniProt:	O60602
Pathways:	TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Toll-Like Receptors Cascades

# **Application Details**

_	
Comment	

#### Advantages:

- · Highly purified membrane proteins
- · High solubility in aqueous solutions
- High stability
- · Proteins are in a native membrane environment and remain biologically active
- · No detergent and can be used for cell-based assays
- No MSP backbone proteins
- · Mammalian cell expression system ensures post-translational modifications

Restrictions:

For Research Use only

# Handling

Format:	Lyophilized
Buffer:	Solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).  Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months