

Datasheet for ABIN7596899

Olfactory Receptor, Family 8, Subfamily D, Member 2 (OR8D2) protein (DYKDDDDK Tag, Strep Tag)



[Go to Product page](#)

Overview

Quantity:	10 µg
Target:	Olfactory Receptor, Family 8, Subfamily D, Member 2 (OR8D2)
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc
Purification tag / Conjugate:	DYKDDDDK Tag, Strep Tag
Application:	ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Immunogen (Imm), Cryogenic electron microscopy (cryo-EM)

Product Details

Purpose:	Human OR8D2-Strep full length protein-synthetic nanodisc
----------	--

Target Details

Target:	Olfactory Receptor, Family 8, Subfamily D, Member 2 (OR8D2)
Alternative Name:	OR8D2 (OR8D2 Products)
Background:	JCG2 Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the

Target Details

genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jun 2015]

Molecular Weight: The human full length OR8D2-Strep protein has a MW of 34.9 kDa

UniProt: [Q9GZM6](#)

Application Details

Comment: Advantages:

- Highly purified membrane proteins
- High solubility in aqueous solutions
- High stability
- Proteins are in a native membrane environment and remain biologically active
- No detergent and can be used for cell-based assays
- No MSP backbone proteins
- Mammalian cell expression system ensures post- translational modifications

Restrictions: For Research Use only

Handling

Format: Lyophilized

Buffer: Solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
Lyophilized proteins are shipped at ambient temperature.

Expiry Date: 12 months