

Datasheet for ABIN7596925

PTAFR Protein (DYKDDDDK Tag, Strep Tag)



Overview

Quantity:	10 μg
Target:	PTAFR
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc
Purification tag / Conjugate:	This PTAFR protein is labelled with DYKDDDDK Tag,Strep Tag.
Application:	Immunogen (Imm), ELISA, Surface Plasmon Resonance (SPR), Phage Display (PhD), Cryogenic electron microscopy (cryo-EM)
Product Details	
Purpose:	Human PTAFR-Strep full length protein-synthetic nanodisc
Target Details	
Target:	PTAFR
Alternative Name:	PTAFR (PTAFR Products)
Background:	PAFR
	This gene encodes a seven-transmembrane G-protein-coupled receptor for platelet-activating
	factor (PAF) that localizes to lipid rafts and/or caveolae in the cell membrane. PAF (1-0-alkyl-2-
	acetyl-sn-glycero-3-phosphorylcholine) is a phospholipid that plays a significant role in
	oncogenic transformation, tumor growth, angiogenesis, metastasis, and pro-inflammatory
	processes. Binding of PAF to the PAF-receptor (PAFR) stimulates numerous signal
	transduction pathways including phospholipase C, D, A2, mitogen-activated protein kinases

Target Details

	(MAPKs), and the phosphatidylinositol-calcium second messenger system. Following PAFR activation, cells become rapidly desensitized and this refractory state is dependent on PAFR phosphorylation, internalization, and down-regulation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2011]
Molecular Weight:	The human full length PTAFR-Strep protein has a MW of 39.2 kDa
UniProt:	P25105
Pathways:	Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin

Application Details

1	\cap	$\overline{}$	n	_	n	_	$\overline{}$	n	+	
		()	П	1	П		\vdash	ſΙ		

Advantages:

- · Highly purified membrane proteins
- · High solubility in aqueous solutions
- High stability
- · Proteins are in a native membrane environment and remain biologically active
- · No detergent and can be used for cell-based assays
- No MSP backbone proteins
- · Mammalian cell expression system ensures post-translational modifications

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Buffer:	Solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months