

Datasheet for ABIN7597424 **IL1R2 Protein (AA 14-343) (mFc Tag)**



Go to Product page

()	ve	r\/i	۱۸/
\cup	V C	1 / 1	 v v

Quantity:	10 μg
Target:	IL1R2
Protein Characteristics:	AA 14-343
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL1R2 protein is labelled with mFc Tag.

Product Details

Purpose:	Recombinant human IL1R2 Protein with C-terminal mouse Fc tag	
Sequence:	IL1R2(Phe14-Glu343) mFc(Pro99-Lys330)	
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue	
	staining.	

Target Details

Target:	IL1R2	
Alternative Name:	IL1R2 (IL1R2 Products)	
Background:	IL1RB, CD121b, IL1R2c, CDw121b, IL-1R-2, IL-1RT2, IL-1RT-2	
	The protein encoded by this gene is a cytokine receptor that belongs to the interleukin 1	
	receptor family. This protein binds interleukin alpha (IL1A), interleukin beta (IL1B), and	
	interleukin 1 receptor, type I(IL1R1/IL1RA), and acts as a decoy receptor that inhibits the activity	

•		
	of its ligands. Interleukin 4 (IL4) is reported to antagonize the activity of interleukin 1 by inducing the expression and release of this cytokine. This gene and three other genes form a cytokine receptor gene cluster on chromosome 2q12. Alternative splicing results in multiple transcript variants and protein isoforms. Alternative splicing produces both membrane-bound and soluble proteins. A soluble protein is also produced by proteolytic cleavage. [provided by RefSeq, May 2012]	
Molecular Weight:	predicted molecular mass of 64.0 kDa after removal of the signal peptide. The apparent molecular mass of IL1R2-mFc is 70-130 kDa due to glycosylation.	
UniProt:	P27930	
Pathways:	NF-kappaB Signaling	
Application Details		
Application Notes:	 Extracellular Domain Proteins (ECD) can be used as: Immunogens for antibody drug development Reagents used for CAR-T positive cell monitoring Reagents for antibody screening and functional testing Reagents for antibody affinity measurement 	
Comment:	The protein was made using HEK293 mammalian cell secretion expression system to ensure the close-to-native structures and post-translational modifications of the target protein.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	ore at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for e within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). ophilized proteins are shipped at ambient temperature.	
Expiry Date:	12 months	