

Datasheet for ABIN7599235  
**anti-JOSD2 antibody (AA 1-297)**



[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	JOSD2
Binding Specificity:	AA 1-297
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JOSD2 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), ELISA, Immunohistochemistry (IHC)

## Product Details

Purpose:	Anti-JOSD2 Antibody Picoband®
Immunogen:	E.coli-derived human RTCA recombinant protein (Position: M1-D297). Human RTCA shares 92.3% amino acid (aa) sequence identity with mouse RTCA.
Isotype:	IgG
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Characteristics:	Anti-JOSD2 Antibody Picoband® (ABIN7599235). Tested in ELISA, IHC, WB, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Purification:	Immunogen affinity purified.

## Target Details

Target:	JOSD2
Alternative Name:	JOSD2 ( <a href="#">JOSD2 Products</a> )
Background:	<p>Synonyms: 70 kDa ribosomal protein S6 kinase 1 antibody, KS6B1_HUMAN antibody, p70 alpha antibody, P70 beta 1 antibody, p70 ribosomal S6 kinase alpha antibody, p70 ribosomal S6 kinase beta 1 antibody, p70 S6 kinase alpha antibody, P70 S6 Kinase antibody, p70 S6 kinase alpha 1 antibody, p70 S6 kinase alpha 2 antibody, p70 S6K antibody, p70 S6K-alpha antibody, p70 S6KA antibody, p70(S6K) alpha antibody, p70(S6K)-alpha antibody, p70-alpha antibody, p70-S6K 1 antibody, p70-S6K antibody, P70S6K antibody, P70S6K1 antibody, p70S6Kb antibody, PS6K antibody, Ribosomal protein S6 kinase 70 kDa polypeptide 1 antibody, Ribosomal protein S6 kinase beta 1 antibody, Ribosomal protein S6 kinase beta-1 antibody, Ribosomal protein S6 kinase I antibody, RPS6KB1 antibody, S6K antibody, S6K-beta-1 antibody, S6K1 antibody, Serine/threonine kinase 14 alpha antibody, Serine/threonine-protein kinase 14A antibody, STK14A antibody</p> <p>Tissue Specificity: Expressed in all tissues.</p> <p>Background: JOSD2 (Josephin-2) is a member of the Machado-Joseph Domain (MJD) deubiquitinating enzyme family. Other family members include: Ataxin-3, Ataxin-3L, and JOSD1. JOSD2 preferentially cleaves K63-linked ubiquitin chains, with much weaker activity toward K48-linked ubiquitin chains in vitro.</p>
Molecular Weight:	26 kDa
Gene ID:	126119

## Application Details

Application Notes:	<p>Western blot, 0.25-0.5 µg/mL, Human, Mouse, Rat</p> <p>Immunohistochemistry, 2-5 µg/mL, Human</p> <p>Flow Cytometry (Fixed), 1-3 µg/1x10<sup>6</sup> cells, Human</p> <p>ELISA, 0.1-0.5 µg/mL, -</p> <p>1. Hartz, P. A. Personal Communication. Baltimore, Md. 8/21/2013. 2. Seki, T., Gong, L., Williams, A. J., Sakai, N., Todi, S. V., Paulson, H. L. JosD1, a membrane-targeted deubiquitinating enzyme, is activated by ubiquitination and regulates membrane dynamics, cell motility, and endocytosis. J. Biol. Chem. 288: 17145-17155, 2013.</p>
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Adding 0.2 mL of distilled water will yield a concentration of 500 µg/mL.
Concentration:	500 µg/mL
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> .
Storage:	4 °C, -20 °C
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.