

Datasheet for ABIN7599237

anti-RTCD1 antibody (AA 1-297)



Go to Product page

_				
	ve	rVI	161	M

Quantity:	100 μg
Target:	RTCD1
Binding Specificity:	AA 1-297
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RTCD1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Purpose:	Anti-RTCA Antibody Picoband®
Immunogen:	E.coli-derived human RTCA recombinant protein (Position: M1-D297). Human RTCA shares 92.3% amino acid (aa) sequence identity with mouse RTCA.
Isotype:	IgG
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Characteristics:	Anti-RTCA Antibody Picoband® (ABIN7599237). Tested in ELISA, WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Purification:	Immunogen affinity purified.

Target Details

Target:	RTCD1	
Alternative Name:	RTCA (RTCD1 Products)	
Background:	Synonyms: 70 kDa ribosomal protein S6 kinase 1 antibody, KS6B1_HUMAN antibody, p70 alpha	
	antibody, P70 beta 1 antibody, p70 ribosomal S6 kinase alpha antibody, p70 ribosomal S6	
	kinase beta 1 antibody, p70 S6 kinase alpha antibody, P70 S6 Kinase antibody, p70 S6 kinase	
	alpha 1 antibody, p70 S6 kinase alpha 2 antibody, p70 S6K antibody, p70 S6K-alpha antibody,	
	p70 S6KA antibody, p70(S6K) alpha antibody, p70(S6K)-alpha antibody, p70-alpha antibody,	
	p70-S6K 1 antibody, p70-S6K antibody, P70S6K antibody, P70S6K1 antibody, p70S6Kb	
	antibody, PS6K antibody, Ribosomal protein S6 kinase 70 kDa polypeptide 1 antibody,	
	Ribosomal protein S6 kinase beta 1 antibody, Ribosomal protein S6 kinase beta-1 antibody,	
	Ribosomal protein S6 kinase I antibody, RPS6KB1 antibody, S6K antibody, S6K-beta-1 antibody	
	S6K1 antibody, Serine/threonine kinase 14 alpha antibody, Serine/threonine-protein kinase 14A	
	antibody, STK14A antibody	
	Tissue Specificity: Expressed in all tissues.	
	Background: This gene encodes a member of the RNA 3'-phosphate cyclase family. The	
	encoded protein plays a role in RNA metabolism by catalyzing the ATP-dependent conversion	
	of the 3'-phosphate of RNA substrates to a 2',3'-cyclic phosphodiester. Alternatively spliced	
	transcript variants encoding multiple isoforms have been observed for this gene.	
Molecular Weight:	39 kDa	
Gene ID:	8634	
UniProt:	000442	
Application Details		
Application Notes:	Western blot, 0.25-0.5 μg/mL, Human, Mouse, Rat	
	ELISA, 0.1-0.5 μg/mL, -	
	1. Genschik, P., Billy, E., Swianiewicz, M., Filipowicz, W. The human RNA 3-prime-terminal	
	phosphate cyclase is a member of a new family of proteins conserved in Eucarya, Bacteria, and	
	Archaea. EMBO J. 16: 2955-2967, 1997.	
Restrictions:	For Research Use only	
Handling		

Handling

Reconstitution:	Adding 0.2 mL of distilled water will yield a concentration of 500 µg/mL.
Concentration:	500 μg/mL
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.
Storage:	4 °C,-20 °C
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month.
	It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and
	thawing.