

### Datasheet for ABIN7600942

# anti-BUB1 antibody (AA 26-1085)



#### Go to Product page

	er		

Overview		
Quantity:	100 μg	
Target:	BUB1	
Binding Specificity:	AA 26-1085	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BUB1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)	
Product Details		
Purpose:	Anti-BUB1 Antibody Picoband®	
Immunogen:	E.coli-derived human BUB1 recombinant protein (Position: E26-K1085).	
Isotype:	IgG	
Cross-Reactivity (Details):	Details): No cross-reactivity with other proteins.	
Characteristics:	Anti-BUB1 Antibody Picoband® (ABIN7600942). Tested in ELISA, IHC, WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium	

Purification: Immunogen affinity purified.

as Picoband, ensuring unmatched performance.

antibody that guarantees superior quality, high affinity, and strong signals with minimal

background in Western blot applications. Only our best-performing antibodies are designated

## **Target Details**

Target:	BUB1		
Alternative Name:	BUB1 (BUB1 Products)		
Background:	Synonyms: RNA-binding protein FUS, 75 kDa DNA-pairing protein, Oncogene FUS, Oncogene		
	TLS, POMp75, Translocated in liposarcoma protein, FUS, TLS,		
	Tissue Specificity: Ubiquitous.		
	Background: BUB1, also known as mitotic checkpoint serine/threonine kinase, is an enzyme		
	that in humans is encoded by the BUB1 gene. It is mapped to 2q13. BUB1 is first identified in		
	genetic screens of Saccharomyces cerevisiae. The protein is bound to kinetochores and plays a		
	key role in the establishment of the mitotic spindle checkpoint and chromosome congression.		
	The mitotic checkpoint kinase is evolutionary conserved in organisms as diverse as		
	Saccharomyces cerevisiae and humans. Loss-of-function mutations or absence of BUB1 has		
	been reported to result in aneuploidy, chromosomal instability (CIN) and premature		
	senescence. The protein kinase BUB1 possesses versatile and distinct functions during the cell		
	cycle, mainly in the SAC and chromosome alignment during metaphase.		
Molecular Weight:	130 kDa		
Gene ID:	699		
UniProt:	043683		
Application Details			
Application Notes:	Western blot, 0.25-0.5 μg/mL, Human, Mouse		
	Immunohistochemistry(Paraffin-embedded Section), 2-5 μg/mL, Human, Mouse, Rat		
	ELISA, 0.1-0.5 μg/mL, -		
	· ·		
	1. "Entrez Gene: BUB1 BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)" 2. Cahil		
	1. "Entrez Gene: BUB1 BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)" 2. Cahil DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March		
	DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March		
	DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March 1998). "Mutations of mitotic checkpoint genes in human cancers". Nature 392 (6673): 300-3. 3.		
Restrictions:	DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March 1998). "Mutations of mitotic checkpoint genes in human cancers". Nature 392 (6673): 300-3. 3. Roberts BT, Farr KA, Hoyt MA (December 1994). "The Saccharomyces cerevisiae checkpoint		
Restrictions: Handling	DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March 1998). "Mutations of mitotic checkpoint genes in human cancers". Nature 392 (6673): 300-3. 3. Roberts BT, Farr KA, Hoyt MA (December 1994). "The Saccharomyces cerevisiae checkpoint gene BUB1 encodes a novel protein kinase". Mol. Cell. Biol. 14 (12): 8282-91.		
	DP, Lengauer C, Yu J, Riggins GJ, Willson JK, Markowitz SD, Kinzler KW, Vogelstein B (March 1998). "Mutations of mitotic checkpoint genes in human cancers". Nature 392 (6673): 300-3. 3. Roberts BT, Farr KA, Hoyt MA (December 1994). "The Saccharomyces cerevisiae checkpoint gene BUB1 encodes a novel protein kinase". Mol. Cell. Biol. 14 (12): 8282-91.		

# Handling

Concentration:	500 μg/mL
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.
Storage:	4 °C,-20 °C
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month.  It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.