

Datasheet for ABIN7601002 anti-IFI30 antibody (AA 27-250)



Overview

Quantity:	100 μg
Target:	IFI30
Binding Specificity:	AA 27-250
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IFI30 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS)

Product Details

Purpose:	Anti-IFI30 Antibody Picoband®	
Immunogen:	E.coli-derived human IFI30 recombinant protein (Position: S27-K250). Human IFI30 shares 66.3% and 68.8% amino acid (aa) sequence identity with mouse and rat IFI30, respectively.	
Characteristics:	Anti-IFI30 Antibody Picoband® (ABIN7601002). Tested in WB, Flow Cytometry, ELISA applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.	
Purification:	Immunogen affinity purified.	

Target Details

Target:	IFI30	
Alternative Name:	IFI30 (IFI30 Products)	
Background:	Gamma-interferon-inducible lysosomal thiol reductase is an enzyme that, in humans, is encoded by the IFI30 gene. The protein encoded by this gene is a lysosomal thiol reductase that at low pH can reduce protein disulfide bonds. The enzyme is expressed constitutively in antigen-presenting cells and induced by gamma-interferon in other cell types. This enzyme has an important role in MHC class II-restricted antigen processing.	
Molecular Weight:	23 kDa	
Gene ID:	10437	
UniProt:	P13284	

Application Details

Ann	lication	Notes:	
, (DD	ii Ga ti Oi i	I VOLCO.	

Western blot, 0.1-0.25 $\mu g/mL$, Human, Mouse, Rat Flow Cytometry (Fixed), 1-3 $\mu g/1x10^6$ cells, Human

1. Arunachalam, B., Phan, U. T., Geuze, H. J., Cresswell, P. Enzymatic reduction of disulfide bonds in lysosomes: characterization of a gamma-interferon-inducible lysosomal thiol reductase (GILT). Proc. Nat. Acad. Sci. 97: 745-750, 2000. 2. Maric, M., Arunachalam, B., Phan, U. T., Dong, C., Garrett, W. S., Cannon, K. S., Alfonso, C., Karlsson, L., Flavell, R. A., Cressell, P. Defective antigen processing in GILT-free mice. Science 294: 1361-1365, 2001. 3. Phan, U. T., Arunachalam, B., Cresswell, P. Gamma-interferon-inducible lysosomal thiol reductase (GILT): maturation, activity, and mechanism of action. J. Biol. Chem. 275: 25907-25914, 2000.

Restrictions:

For Research Use only

ELISA, 0.1-0.5 μg/mL, -

Handling

Format:	Lyophilized	
Reconstitution:	Adding 0.2 mL of distilled water will yield a concentration of 500 μg/mL.	
Concentration:	500 μg/mL	
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.	
Storage:	4 °C,-20 °C	
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month.	

It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.