

# Datasheet for ABIN7601178 anti-REP15 antibody (AA 3-236)



#### Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μg	
Target:	REP15	
Binding Specificity:	AA 3-236	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This REP15 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS)	

#### **Product Details**

Purpose:	Anti-REP15 Antibody Picoband®	
Immunogen:	E.coli-derived human REP15 recombinant protein (Position: Q3-L236).	
Isotype:	IgG	
Cross-Reactivity (Details):	No cross-reactivity with other proteins	
Characteristics:	Anti-REP15 Antibody Picoband® (ABIN7601178). Tested in ELISA, Flow Cytometry, WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.	
Purification:	Immunogen affinity purified.	

### **Target Details**

Target:	REP15	
Alternative Name:	REP15 (REP15 Products)	
Background:	Synonyms: RNA-binding protein 47,RNA-binding motif protein 47,RBM47,  Tissue Specificity: Abundantly expressed in tonsil, lymph node, and trachea, strong expression in prostate, lower expression in thyroid, stomach, and colon.  Background: The protein encoded by this intronless gene interacts with GTP-bound Rab15 and is involved in recycling of transferrin receptor from the endocytic recycling compartment to the	
	cell surface.	
Molecular Weight:  Gene ID:	27 kDa	
Gene id.	30/049	

## **Application Details**

Application Notes:	Western blot, 0.25-0.5 μg/mL, Human
	Flow Cytometry (Fixed), 1-3 µg/1x10 <sup>6</sup> cells, Human
	ELISA, 0.1-0.5 μg/mL, -
	1. Strick, D. J., Elferink, L. A. Rab15 effector protein: a novel protein for receptor recycling from
	the endocytic recycling compartment. Molec. Biol. Cell 16: 5699-5709, 2005. 2. Stumpf, A. M.
	Personal Communication. Baltimore, Md. 09/30/2021.
Restrictions:	For Research Use only

### Handling

Format:	Lyophilized	
Reconstitution:	Adding 0.2 mL of distilled water will yield a concentration of 500 $\mu g/mL$ .	
Concentration:	500 μg/mL	
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.	
Storage:	4 °C,-20 °C	
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month.  It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.	