

Datasheet for ABIN7601282 anti-ACP2 antibody (AA 31-88)



Overview

| Quantity: | 100 μg |
|----------------------|-------------------------------------|
| Target: | ACP2 |
| Binding Specificity: | AA 31-88 |
| Reactivity: | Human, Rat, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ACP2 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA |

Product Details

| Purpose: | Anti-ACP2 Antibody Picoband® |
|------------------|--|
| Immunogen: | E.coli-derived human ACP2 recombinant protein (Position: R31-H88). Human ACP2 shares 98.3% and 96.6% amino acid (aa) sequence identity with mouse and rat ACP2, respectively. |
| Characteristics: | Anti-ACP2 Antibody Picoband® (ABIN7601282). Tested in WB, ELISA applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance. |
| Purification: | Immunogen affinity purified. |

Target Details

| Target: | ACP2 |
|---------------------|--|
| Alternative Name: | ACP2 (ACP2 Products) |
| Background: | Lysosomal acid phosphatase is an enzyme that in humans is encoded by the ACP2 gene. The |
| | protein encoded by this gene belongs to the histidine acid phosphatase family, which hydrolyze |
| | orthophosphoric monoesters to alcohol and phosphate. This protein is localized to the |
| | lysosomal membrane, and is chemically and genetically distinct from the red cell acid |
| | phosphatase. Mice lacking this gene showed multiple defects, including bone structure |
| | alterations, lysosomal storage defects, and an increased tendency towards seizures. An |
| | enzymatically-inactive allele of this gene in mice showed severe growth retardation, hair-follicle |
| | abnormalities, and an ataxia-like phenotype. Alternatively spliced transcript variants have been |
| | found for this gene. A C-terminally extended isoform is also predicted to be produced by the |
| | use of an alternative in-frame translation termination codon via a stop codon readthrough |
| | mechanism. |
| Molecular Weight: | 52 kDa |
| Gene ID: | 53 |
| UniProt: | P11117 |
| Application Details | |
| Application Notes: | Western blot, 0.25-0.5 μg/mL, Human, Mouse, Rat |
| | ELISA, 0.1-0.5 μg/mL, - |
| | 1. Beckman, G., Beckman, L., Tarnvik, A. A rare subunit variant shared by five acid phosphatase |
| | isozymes from human leukocytes and placentae. Hum. Hered. 20: 81-85, 1970. 2. Bruns, G. A. |
| | P., Gerald, P. S. Human acid phosphatase in somatic cell hybrids. Science 184: 480-482, 1974. |
| | 3. Harris, H., Hopkinson, D. A., Robson, E. B. The incidence of rare alleles determining |
| | electrophoretic variants: data on 43 enzyme loci in man. Ann. Hum. Genet. 37: 237-253, 1974. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Reconstitution: | Adding 0.2 mL of distilled water will yield a concentration of 500 μg/mL. |
| Concentration: | 500 μg/mL |
| Buffer: | Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4. |
| | |

Handling

| Storage: | 4 °C,-20 °C |
|------------------|--|
| Storage Comment: | At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. |
| | It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and |
| | thawing. |