# antibodies -online.com





Datasheet for ABIN760160 anti-SERINC3 antibody (AA 51-150) (HRP)

Go to Product page

### Overview

Quantity:	100 μL	
Target:	SERINC3	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SERINC3 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SERINC3
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

# **Target Details**

Target:	SERINC3
Alternative Name:	SERINC3 (SERINC3 Products)

# **Target Details**

9			
Background:	Synonyms: TMS 1, TMS-1, AIGP1, DF33, SBBI99, serine incorporator 3, TDE, TDE1, Tumor		
	dferentially expressed protein 1, SERC3_HUMAN.		
	Background: TDE1, tumor differentially expressed protein 1, is a multi-pass membrane protein		
	also known as serine incorporator 3. Also found on the membranes of the Golgi apparatus		
	within cells, TDE1 is highly expressed in neuronal populations but is also found in thymus,		
	kidney, liver and testis. Expression levels of TDE1 in tumors can be as much as tenfold the		
	amount found in normal tissue of the same type. This increased expression implicates TDE1 as		
	being involved in the cellular transformation from normal to malignant tissue. It is believed		
	TDE1 contributes to oncogenesis by partially protecting cells from serum starvation and		
	etoposide-induced apoptosis. The mechanism through which TDE1 protects cells is poorly		
	understood, but may involve aberrant methylation of TDE1 complexes.		
Gene ID:	10955		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months