

Datasheet for ABIN7602387  
**anti-RBM42 antibody (AA 73-469)**



[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	RBM42
Binding Specificity:	AA 73-469
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM42 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS), Immunocytochemistry (ICC), Immunofluorescence (IF)

## Product Details

Purpose:	Anti-RBM42 Antibody Picoband®
Immunogen:	E.coli-derived human RBM42 recombinant protein (Position: E73-K469). Human RBM42 shares 98.7% and 99% amino acid (aa) sequence identity with mouse and rat RBM42, respectively.
Isotype:	IgG
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Characteristics:	Anti-RBM42 Antibody Picoband® (ABIN7602387). Tested in WB, IHC, ICC/IF, Flow Cytometry, ELISA applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.

## Product Details

Purification: Immunogen affinity purified.

## Target Details

Target:	RBM42
Alternative Name:	RBM42 ( <a href="#">RBM42 Products</a> )
Background:	<p>Synonyms: 70 kDa ribosomal protein S6 kinase 1 antibody, KS6B1_HUMAN antibody, p70 alpha antibody, P70 beta 1 antibody, p70 ribosomal S6 kinase alpha antibody, p70 ribosomal S6 kinase beta 1 antibody, p70 S6 kinase alpha antibody, P70 S6 Kinase antibody, p70 S6 kinase alpha 1 antibody, p70 S6 kinase alpha 2 antibody, p70 S6K antibody, p70 S6K-alpha antibody, p70 S6KA antibody, p70(S6K) alpha antibody, p70(S6K)-alpha antibody, p70-alpha antibody, p70-S6K 1 antibody, p70-S6K antibody, P70S6K antibody, P70S6K1 antibody, p70S6Kb antibody, PS6K antibody, Ribosomal protein S6 kinase 70 kDa polypeptide 1 antibody, Ribosomal protein S6 kinase beta 1 antibody, Ribosomal protein S6 kinase beta-1 antibody, Ribosomal protein S6 kinase I antibody, RPS6KB1 antibody, S6K antibody, S6K-beta-1 antibody, S6K1 antibody, Serine/threonine kinase 14 alpha antibody, Serine/threonine-protein kinase 14A antibody, STK14A antibody</p> <p>Tissue Specificity: Expressed in all tissues.</p> <p>Background: RBM42 belongs to the RRM RBM42 family and it contains 1 RRM (RNA recognition motif) domain. The functions of RBM42 remain unknown.</p>
Molecular Weight:	65 kDa
Gene ID:	79171

## Application Details

Application Notes:	<p>Western blot, 0.25-0.5 µg/mL, Human, Mouse</p> <p>Immunohistochemistry, 2-5 µg/mL, Human, Mouse, Rat</p> <p>Immunocytochemistry/Immunofluorescence, 5 µg/mL, Human</p> <p>Flow Cytometry (Fixed), 1-3 µg/1x10<sup>6</sup> cells, Human</p> <p>ELISA, 0.1-0.5 µg/mL, -</p> <p>1. Fukuda, T., Naiki, T., Saito, M., Irie, K. hnRNP K interacts with RNA binding motif protein 42 and functions in the maintenance of cellular ATP level during stress conditions. Genes Cells 14: 113-128, 2009. 2. Hartz, P. A. Personal Communication. Baltimore, Md. 1/26/2010.</p>
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Adding 0.2 mL of distilled water will yield a concentration of 500 µg/mL.
Concentration:	500 µg/mL
Buffer:	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> .
Storage:	4 °C, -20 °C
Storage Comment:	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.