

### Datasheet for ABIN7603897

# anti-ACTR1B antibody



Go to Product page

_				
( )	1//	rv	IO	Λ/
( )	VC	. I V	1	v v

Quantity:	100 μL	
Target:	ACTR1B	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Monoclonal	
Conjugate:	This ACTR1B antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC), Flow Cytometry (FACS), Immunoprecipitation (IP)	

### **Product Details**

Purpose:	Anti-ACTR1B Rabbit Monoclonal Antibody	
Immunogen:	A synthesized peptide derived from human ACTR1B	
Clone:	30A59	
Isotype:	IgG	
Characteristics:	Anti-ACTR1B Rabbit Monoclonal Antibody (ABIN7603897). Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human.	
Purification:	Affinity-chromatography	

# Target Details

Target: ACTR1B

## **Target Details**

Alternative ACTR1B (ACTR1B Products)

Name:

Background: Synonyms: Histone H3/a, Histone H3/b, Histone H3/c, Histone H3/d, Histone H3/f, Histone H3/h, Histone H3/i, Histone H3/b, Histone

H3/I,HIST1H3A,H3FA,HIST1H3B,H3FL,HIST1H3C,H3FC,HIST1H3D,H3FB,HIST1H3E,H3FD,HIST1H3F,H3FI,HIST1H3G,H3FF

Tissue Specificity: Highly expressed in the brain, with higher expression during development than in adult. Expressed also i

Molecular

42 kDa

Weight:

UniProt: P42025

### **Application Details**

Application Notes: WB 1:500-1:2000

IHC 1:50-1:200

ICC/IF 1:50-1:200

IP 1:50

FC 1:50

Restrictions:

For Research Use only

#### Handling

Format:	Liquid	
Reconstitution:	Restore with deionized water (or equivalent) for reconstitution volume of 1.0 mL	
Concentration:	Lot specific	
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol, 0.4-0.5 mg/mL BSA.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.	