

Datasheet for ABIN7604709 **anti-ECM1 antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	ECM1
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This ECM1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunofluorescence (IF), Flow Cytometry (FACS), Immunocytochemistry (ICC)

Product Details

Purpose:	Anti-ECM1 Rabbit Monoclonal Antibody
Immunogen:	A synthesized peptide derived from human ECM1
Clone:	25E30
Isotype:	IgG
Characteristics:	Anti-ECM1 Rabbit Monoclonal Antibody (ABIN7604709). Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Purification:	Affinity-chromatography

Target Details

Target:	ECM1
---------	------

Target Details

Alternative Name:	ECM1 (ECM1 Products)
Background:	Synonyms: Polyubiquitin-B,Ubiquitin,UBB, Tissue Specificity: Highly expressed in prostate epithelium. Detected in urinary bladder, kidney, testis, ovary, fallopian tube, breast, adrenal gland, liver, esophagus, stomach, small intestine, colon and brain (at protein level). Detected in the small intestine, brain, kidney, liver, spleen, colon, trachea, spinal cord and the capillary endothelium of a variety of tumors. Expressed specifically in jejunum brush border membranes. In the brain, highly expressed in the ventral striatum and brain stem. Also expressed in fetal liver and kidney. Isoform PSMA' is the most abundant form in normal prostate. Isoform PSMA-1 is the most abundant form in primary prostate tumors. Isoform PSMA-3 is also found in normal prostate as well as in brain and liver. Isoform PSMA-9 is specifically expressed in prostate cancer. .
Molecular Weight:	70 kDa
UniProt:	Q16610

Application Details

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200 IP 1:50 FC 1:50
Restrictions:	For Research Use only

Handling

Format:	Liquid
Reconstitution:	Restore with deionized water (or equivalent) for reconstitution volume of 1.0 mL
Concentration:	Lot specific
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol, 0.4-0.5 mg/mL BSA.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
----------	-------------

Storage Comment:	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
------------------	--