

Datasheet for ABIN7605196

anti-IGHG1 antibody



_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	IGHG1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Monoclonal	
Conjugate:	This IGHG1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Purpose:	Anti-Human IgG IGHG1 Rabbit Monoclonal Antibody	
Immunogen:	A synthesized peptide derived from human Human IgG	
Clone:	ABHF-9	
Isotype:	IgG	
Characteristics:	Anti-Human IgG IGHG1 Rabbit Monoclonal Antibody (ABIN7605196). Tested in WB, IHC applications. This antibody reacts with Human.	
Purification:	Affinity-chromatography	
Target Details		
Target:	IGHG1	
Alternative Name:	IGHG1 (IGHG1 Products)	

Target Details

Background:	Synonyms: Ig gamma-1 chain C region,IGHG1,			
	Tissue Specificity: According to PubMed:9858585, highest levels of expression in adult testis,			
	thymus and brain. Lower levels in placenta, spleen and colon. Consistently elevated levels in			
	tumor- derived cells compared to non-transformed proliferating cells. According to			
	PubMed:9840927: low levels in thymus, prostate, brain, skeletal muscle, and kidney. Elevated			
	levels in lung. According to PubMed:9840943 highly expressed in testis, placenta, thymus and			
	brain. In a lesser extent in small intestine and colon.			
Molecular Weight:	78 kDa			
Application Details				
Application Notes:	WB 1:500-1:2000			
	IHC 1:50-1:200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Reconstitution:	Restore with deionized water (or equivalent) for reconstitution volume of 1.0 mL			
Concentration:	Lot specific			
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %			
	glycerol, 0.4-0.5 mg/mL BSA.			
Preservative:	Sodium azide			
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which			
	should be handled by trained staff only.			
Storage:	4 °C,-20 °C			
Storage Comment:	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one			
	month. Avoid repeated freeze-thaw cycles.			