

Datasheet for ABIN7606097 **anti-PUM1 antibody**

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PUM1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This PUM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP), Immunocytochemistry (ICC), Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Pumilio 1 Rabbit Monoclonal Antibody
Immunogen:	A synthesized peptide derived from human Pumilio 1
Clone:	19P55
Isotype:	IgG
Characteristics:	Anti-Pumilio 1 Rabbit Monoclonal Antibody (ABIN7606097). Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Purification:	Affinity-chromatography

Target Details

Target:	PUM1
---------	------

Target Details

Alternative Name:	PUM1 (PUM1 Products)
Background:	Synonyms: Angiotensinogen,Serpin A8,Angiotensin-1,Angiotensin 1-10,Angiotensin I,Ang I,Angiotensin-2,Angiotensin 1-8,Angiotensin II,Ang II,Angiotensin-3,Angiotensin 2-8,Angiotensin III,Ang III,Des-Asp[1]-angiotensin II,Angiotensin-4,Angiotensin 3-8,Angiotensin IV,Ang IV,Angiotensin 1-9,Angiotensin 1-7,Angiotensin 1-5,Angiotensin 1-4,AGT,SERPINA8, Tissue Specificity: Expressed by the liver and secreted in plasma.
Molecular Weight:	140 kDa
UniProt:	Q14671

Application Details

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200 IP 1:50 FC 1:60
Restrictions:	For Research Use only

Handling

Format:	Liquid
Reconstitution:	Restore with deionized water (or equivalent) for reconstitution volume of 1.0 mL
Concentration:	Lot specific
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol, 0.4-0.5 mg/mL BSA.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.