antibodies .- online.com







anti-Cell Adhesion Molecule 4 antibody (AA 141-240)



\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL
Target:	Cell Adhesion Molecule 4 (CADM4)
Binding Specificity:	AA 141-240
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Cell Adhesion Molecule 4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CADM 4
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Cell Adhesion Molecule 4 (CADM4)
Alternative Name:	Cadm 4 (CADM4 Products)

Target Details

Expiry Date:

12 months

rarget Details		
Background:	Synonyms: cadm4, CADM4_HUMAN, Cell adhesion molecule 4, IgSF4C, Immunoglobulin	
	superfamily member 4C, NECL-4, Nectin-like protein 4, TSLC1-like protein 2.	
	Background: Involved in the cell-cell adhesion. Has calcium- and magnesium-independent cell-	
	cell adhesion activity. May have tumor-suppressor activity.	
Gene ID:	199731	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should b handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	