antibodies -online.com





anti-FLCN antibody (AA 65-165) (Cy3)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	FLCN	
Binding Specificity:	AA 65-165	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FLCN antibody is conjugated to Cy3	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Folliculin		
Isotype:	IgG		
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Horse, Chicken		
Purification:	Purified by Protein A.		

Target Details

Target:	FLCN
Alternative Name:	Folliculin (FLCN Products)
Target Type:	Amino Acid

Target Details

rarget betails			
Background:	Synonyms: BHD, BHD skin lesion fibrofolliculoma protein, Birt Hogg Dube syndrome protein,		
	FLCL, Folliculin, FLCN_HUMAN.		
	Background: This gene is located within the Smith-Magenis syndrome region on chromosome		
	17. Mutations in this gene are associated with Birt-Hogg-Dube syndrome, which is		
	characterized by fibrofolliculomas, renal tumors, lung cysts, and pneumothorax. Alternative		
	splicing of this gene results in three transcript variants encoding different isoforms.		
Gene ID:	201163		
Pathways:	Cell-Cell Junction Organization		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		