# antibodies -online.com





# anti-SMARCA1 antibody (AA 281-380) (Cy5)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	SMARCA1	
Binding Specificity:	AA 281-380	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SMARCA1 antibody is conjugated to Cy5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SNF2L/SMARCA1	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Cow,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## Target Details

Target:	SMARCA1
Alternative Name:	SNF2L (SMARCA1 Products)

## **Target Details**

Background:	Synonyme: global transcription activator homologous acquence CMADCA1 CNF2 like 1		
Dackground.	Synonyms: global transcription activator homologous sequence, SMARCA1, SNF2-like 1,		
	SNF2L, SNF2L1, SNF2LB, sucrose nonfermenting 2-like protein 1, SWI/SNF related matrix associated actin dependent regulator of chromatin subfamily a member 1, SWI2,		
	SMCA1_HUMAN.		
	Background: SNF2L, also known as SMARCA1 (SWI/SNF related, matrix associated, actin		
	dependent regulator of chromatin, subfamily a, member 1), SWI or ISWI, is a 1,054 amino acid		
	protein that localizes to the nucleus and contains one helicase C-terminal domain, one helicase		
	ATP-binding domain and two SANT domains. Expressed as multiple alternatively spliced		
	isoforms, SNF2L exists as a component of the nucleosome-remodeling factor (NURF) complex		
	where it helps to facilitate the ATP-dependent perturbation of chromatin structure and may also		
	be involved in brain development and neurite outgrowth. The gene encoding SNF2L maps to		
	human chromosome X, which contains nearly 153 million base pairs and houses over 1,000		
	genes.		
Gene ID:	6594		
Pathways:	Chromatin Binding		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE,			
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

Н	land	lına
	iaria	шц

Expiry Date:

12 months