

## Datasheet for ABIN7616211 anti-DOK7 antibody (AA 416-504)

Go to Product page

| Overview             |  |
|----------------------|--|
| Quantity:            | 100 μg   |
| Target:              | DOK7   |
| Binding Specificity: | AA 416-504   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This DOK7 antibody is un-conjugated  |
| Application:         | Western Blotting (WB), ELISA, Immunofluorescence (IF)                              |
| Product Details      |  |
| Purpose:             | DOK7 Polyclonal Antibody   |
| Immunogen:           | Recombinant Human Protein Dok-7 protein  |
| Isotype:             | IgG  |
| Characteristics:     | The DOK7 Polyclonal Antibody (Species: Human) has been validated for the following |
| Durification         | applications: ELISA, WB, IF.   |
| Purification:        | Protein G purified   |
| Purity:              | >95%   |
| Target Details       |  |
| Target:              | DOK7   |

## **Target Details**

| Alternative Name: | DOK7 (DOK7 Products)              |  |
|-------------------|-----------------------------------|--|
| UniProt:          | Q18PE1                            |  |
| Pathways:         | Skeletal Muscle Fiber Development |  |

## **Application Details**

Expiry Date:

| Application Notes: | Optimal working dilution should be determined by the investigator. |  |
|--------------------|--|--|
| Restrictions:      | For Research Use only  |  |
| Handling           |  |  |
|                    |  |  |

| Format:            | Liquid  |  |
|--------------------|---|--|
| Concentration:     | Lot specific  |  |
| Buffer:            | 0.03 % Proclin 300, 50 % glycerol, 0.01M PBS, pH 7.4  |  |
| Preservative:      | ProClin   |  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |  |
| Storage:           | 4 °C,-20 °C   |  |
| Storage Comment:   | 2°C to 8°C for frequent use, -20°C for 12 months. Avoid repeated freeze/thaw cycles.                              |  |

12 months