Datasheet for ABIN761688 anti-FGFRL1 antibody (AA 231-330) (FITC)

antibodies .-online.com



~		
Ove	r\/I	
Ove	1 1 1	C V V

Quantity:	100 µL
Target:	FGFRL1
Binding Specificity:	AA 231-330
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FGFRL1 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FGFR5/FGFRL1	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	FGFRL1
Alternative Name:	FGFR5 (FGFRL1 Products)
Background:	Synonyms: FGF homologous factor receptor, FGF receptor like protein 1, FGFR 5, FGFR like

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN761688 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	protein, FGFR5, FGFRL1, FHFR, Fibroblast growth factor receptor 5, Fibroblast growth factor
	receptor like 1, FGRL1_HUMAN.
	Background: FGFRL1 is a member of the fibroblast growth factor receptor (FGFR) family, where
	amino acid sequence is highly conserved between members and throughout evolution. FGFR
	family members differ from one another in their ligand affinities and tissue distribution. A full-
	length representative protein would consist of an extracellular region, composed of three
	immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a
	cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with
	fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately
	influencing mitogenesis and differentiation. A marked difference between FGFRL1 and the
	other family members is its lack of a cytoplasmic tyrosine kinase domain. The result is a
	transmembrane receptor that could interact with other family members and potentially inhibit
	signaling. Multiple alternatively spliced transcript variants encoding the same isoform have
	been found.
Gene ID:	53834
Pathways:	RTK Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN761688 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

lond	lina
land	
10110	

Storage Comment:

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN761688 | 03/07/2024 | Copyright antibodies-online. All rights reserved.