

Datasheet for ABIN7617335

anti-FGF23 antibody (AA 25-251)



| (|) | V | | rV | ĺ | 9 | V | V |
|---|---------------|----|----------|----|---|---------------|---|---|
| ' | \mathcal{I} | ٧V | <u> </u> | v | 1 | $\overline{}$ | ٧ | ٧ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | FGF23 |
| Binding Specificity: | AA 25-251 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FGF23 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Fibroblast Growth Factor 23 (FGF23) Polyclonal Antibody |
|------------------|---|
| Sequence: | Tyr25~Val251 |
| Characteristics: | The Fibroblast Growth Factor 23 (FGF23) Polyclonal Antibody (Species: Rat) has been validated for the following applications: WB, IHC, ICC, IP. |
| Purification: | Protein A + Protein G affinity chromatography |

Target Details

| Target: | FGF23 |
|-------------------|------------------------|
| Alternative Name: | FGF23 (FGF23 Products) |

Target Details

| Gene ID: | 170583 |
|-----------|--|
| UniProt: | Q8VI82 |
| Pathways: | RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin |
| | Signaling Pathway, Negative Regulation of Hormone Secretion |

Application Details

Expiry Date:

12 months

| Application Notes: Optimal working dilution should be determined by the investigator. | | |
|---|---|--|
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 0.5 mg/mL | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | 2°C to 8°C for frequent use, -20°C for 12 months. Avoid repeated freeze/thaw cycles. | |