antibodies .- online.com





anti-XAB2 antibody (AA 65-160) (Biotin)



Overview

Quantity:	100 μL
Target:	XAB2
Binding Specificity:	AA 65-160
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This XAB2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human XAB2/HCNP.
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	XAB2
Alternative Name:	XAB2 (XAB2 Products)
Background:	Synonyms: 0610041014Rik, adapter protein ATH 55, Adapter protein ATH-55, Ath55,

AV025587, Crn related protein kim1, crn-related protein kim1, DKFZp762C1015, HCNP, HCNP protein, HCRN, KIAA1177, NTC90, PP3898, Pre-mRNA-splicing factor SYF1, Protein HCNP, RNA splicing factor, SYF1, SYF1 homolog, SYF1 homolog, RNA splicing factor, SYF1_HUMAN, Xab2, XPA binding protein 2, XPA-binding protein 2.

Background: XAB2 protein (XPA binding protein 2) was first identified through its interaction with XPA, a key factor in nucleotide excision repair pathways. XAB2 therefore appears to be involved in transcription coupled DNA repair and transcription. Immunoprecipitation experiments have also demonstrated that a fraction of XAB2 interacts with the transcription coupled repair specific proteins CSA and CSB as well as with RNA polymerase II. Microinjection experiments with XAB2 resulted in the inhibition of both transcription coupled repair and transcription.

Gene ID:

56949

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months