antibodies -online.com







anti-PHAP antibody (AA 41-140) (Biotin)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	PHAP (ANP32A/ANP32B)	
Binding Specificity:	AA 41-140	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PHAP antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunoprecipitation (IP)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PHAP1	
Isotype:	IgG	
Specificity:	Will recognize Acidic leucine-rich nuclear phosphoprotein 32 family member C,D, and E	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

|--|--|

Target Details

Alternative Name:	PHAP (ANP32A/ANP32B Products)	
Background:	Synonyms: Acidic leucine-rich nuclear phosphoprotein 32 family member A, Acidic nuclear	
	phosphoprotein pp32, pp32, Leucine-rich acidic nuclear protein, LANP, Mapmodulin, Potent	
	heat-stable protein phosphatase 2A inhibitor I1PP2A, Putative HLA-DR-associated protein I,	
	PHAPI, ANP32A, C15orf1, MAPM, PHAP1	
	Background: Implicated in a number of cellular processes, including proliferation, differentiation	
	caspase-dependent and caspase-independent apoptosis, suppression of transformation (tumo	
	suppressor), inhibition of protein phosphatase 2A, regulation of mRNA trafficking and stability	
	in association with ELAVL1, and inhibition of acetyltransferases as part of the INHAT (inhibitor	
	of histone acetyltransferases) complex. Plays a role in E4F1-mediated transcriptional	
	repression.	
Gene ID:	8125	
UniProt:	P39687	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IP(1-2 μg)	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	

\vdash	land	linc
	iaria	11116

Expiry Date:

12 months