

Datasheet for ABIN7630073

Recombinant anti-FCGR3B antibody



Overview	
Quantity:	100 μL
Target:	FCGR3B
Reactivity:	Human
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This FCGR3B antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC), Immunofluorescence (IF)
Product Details	
Purpose:	Recombinant Antibody to Fc Fragment Of IgG Low Affinity IIIb Receptor (FcgR3B)
Isotype:	IgG
Specificity:	The antibody is a mouse monoclonal antibody raised against FcgR3B. It has been selected for its ability to recognize FcgR3B in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	FCGR3B
Alternative Name:	Fc Fragment Of IgG Low Affinity IIIb Receptor (FCGR3B Products)

Target Details

Background:	CD16b, CD16-B, FCGR3-B, FCG3, FcgRIII, Low affinity immunoglobulin gamma Fc region receptor III-B
UniProt:	075015
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL, Immunohistochemistry: 5-20 μg/mL, Immunocytochemistry: 5-20 μg/mL, Flow cytometry:10 μg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.